


Protecting earth from space storms

August 11 2021, by Aaron Dubrow, Texas Advanced Computing Center



Meridional cut from an advanced three-dimensional magnetosphere simulation. The Earth is at the center of the black circle that is the inner boundary at 2.5

Earth radii. The white lines are magnetic field lines. The colors show density. The blue rectangle indicates where the kinetic model is used, which is coupled with the global magnetohydrodynamic model. Credit: Chen, Yuxi & Toth, Gabor & Hietala, Heli & Vines, Sarah & Zou, Ying & Nishimura, Yukiotoshi & Silveira, Marcos & Guo, Zhifang & Lin, Yu & Markidis, Stefano

"There are only two natural disasters that could impact the entire U.S.," according to Gabor Toth, professor of Climate and Space Sciences and Engineering at the University of Michigan. "One is a pandemic and the other is an extreme space weather event."

We're currently seeing the effects of the first in real-time.

The last major space [weather](#) event struck the Earth in 1859. Smaller, but still significant, space weather events occur regularly. These fry electronics and [power grids](#), disrupt global positioning systems, cause shifts in the range of the Aurora Borealis, and raise the risk of radiation to astronauts or passengers on planes crossing over the poles.

"We have all these technological assets that are at risk," Toth said. "If an extreme event like the one in 1859 happened again, it would completely destroy the power grid and satellite and communications systems—the stakes are much higher."

Motivated by the White House National Space Weather Strategy and Action Plan and the National Strategic Computing Initiative, in 2020 the National Science Foundation (NSF) and NASA created the Space Weather with Quantified Uncertainties (SWQU) program. It brings together research teams from across scientific disciplines to advance the latest statistical analysis and high performance computing methods within the field of space weather modeling.

"We are very proud to have launched the SWQU projects by bringing together expertise and supports across multiple scientific domains in a joint effort between NSF and NASA," said Vyacheslav (Slava) Lukin, the Program Director for Plasma Physics at NSF. "The need has been recognized for some time, and the portfolio of six projects, Gabor Toth's among them, engages not only the leading university groups, but also NASA Centers, Department of Defense and Department of Energy National Laboratories, as well as the private sector."

Toth helped develop today's preeminent space weather prediction model, which is used for operational forecasting by the National Oceanic and Atmospheric Administration (NOAA). On February 3, 2021, NOAA began using the Geospace Model Version 2.0, which is part of the University of Michigan's Space Weather Modeling Framework, to predict geomagnetic disturbances.

"We're constantly improving our models," Toth said. The new model replaces version 1.5, which has been in operations since November 2017. "The main change in version 2 was the refinement of the numerical grid in the magnetosphere, several improvements in the algorithms, and a recalibration of the empirical parameters."


The Geospace Model is based on a global representation of Earth's geospace environment that includes magnetohydrodynamics—the properties and behavior of electrically conducting fluids like plasma interacting with magnetic fields, which plays a key role in the dynamics of space weather.

The Geospace Model predicts magnetic disturbances on the ground resulting from geospace interactions with solar wind. Such magnetic disturbances induce a geoelectric field that can damage large-scale electrical conductors, such as the power grid.

Short-term advanced warning from the model provides forecasters and power grid operators with situational awareness about harmful currents and allows time to mitigate the problem and maintain the integrity of the electric power grid, NOAA announced at the time of the launch.

As advanced as the Geospace Model is, it provides only about 30 minutes of advanced warning. Toth's team is one of several groups working to increase lead time to one to three days. Doing so means understanding how activity on the surface of the Sun leads to events that can impact the Earth.

"We're currently using data from a satellite measuring plasma parameters one million miles away from the Earth," Toth explained. Researchers hope to start from the Sun, using remote observation of the Sun's surface—in particular, coronal mass ejections that produce flares that are visible in X-rays and UV light. "That happens early on the Sun. From that point, we can run a model and predict the arrival time and impact of magnetic events."



Space weather modeling framework simulation of the Sept 10, 2014 coronal mass ejection during solar maximum. The radial magnetic field is shown on the surface of the Sun in gray scale. The magnetic field lines on the flux rope are colored with the velocity. The background is colored with the electron number density. Credit: Gabor Toth, University of Michigan

Improving the lead time of space weather forecasts requires new methods and algorithms that can compute far faster than those used today and can be deployed efficiently on high performance computers.

Toth uses the Frontera supercomputer at the Texas Advanced Computing Center—the fastest academic system in the world and the 10th most powerful overall—to develop and test these new methods.

"I consider myself really good at developing new algorithms," Toth said. "I apply these to space physics, but many of the algorithms I develop are more general and not restricted to one application."

A key algorithmic improvement made by Toth involved finding a novel way to combine the kinetic and fluid aspects of plasmas in one [simulation model](#). "People tried it before and failed. But we made it work. We go a million times faster than brute-force simulations by inventing smart approximations and algorithms," Toth said.

The new algorithm dynamically adapts the location covered by the kinetic model based on the simulation results. The model identifies the regions of interests and places the kinetic model and the computational resources to focus on them. This can result in a 10 to 100 time speed-up for space weather models.

As part of the NSF SWQU project, Toth and his team have been working on making the Space Weather Modeling Framework run efficiently on future supercomputers that rely heavily on graphical processing units (GPUs). As a first goal, they set out to port the Geospace Model to GPUs using the NVIDIA Fortran compiler with OpenACC directives.

They recently managed to run the full Geospace Model faster than [real-time](#) on a single GPU. They used TACC's GPU-enabled Longhorn machine to reach this milestone. To run the model with the same speed on traditional supercomputer requires at least 100 CPU cores.

"It took a whole year of code development to make this happen, Toth

said. "The goal is to run an ensemble of simulations fast and efficiently to provide a probabilistic [space](#) weather forecast."

This type of probabilistic forecasting is important for another aspect of Toth's research: Localizing predictions in terms of the impact on the surface of Earth.

"Should we worry in Michigan or only in Canada? What is the maximum induced current particular transformers will experience? How long will generators need to be shut off? To do this accurately, you need a model you believe in," he said. "Whatever we predict, there's always some uncertainty. We want to give predictions with precise probabilities, similar to terrestrial weather forecasts."

Toth and his team run their code in parallel on thousands of cores on Frontera for each simulation. They plan to run thousands of simulations over the coming years to see how model parameters affect the results to find the best [model](#) parameters and to be able to attach probabilities to simulation results.

"Without Frontera, I don't think we could do this research," Toth said. "When you put together smart people and big computers, great things can happen."

The Michigan Sun-to-Earth Model, including the SWMF Geospace and the new GPU port, is available as open-source at <https://github.com/MSTEM-QUADA>.

More information: T. Pulkkinen et al. The Space Weather Modeling Framework goes open access, *Eos* (2021). [DOI: 10.1029/2021EO158300](https://doi.org/10.1029/2021EO158300)

Provided by Texas Advanced Computing Center

Citation: Protecting earth from space storms (2021, August 11) retrieved 23 June 2024 from <https://phys.org/news/2021-08-earth-space-storms.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.