


Harnessing sunlight to fuel the future through covalent organic frameworks

August 12 2021



The Emerging Covalent Organic Frameworks (COFs) for Solar-Driven Fuels Production
 Xia et al. (2021) | Coordination Chemistry Reviews | DOI: 10.1016/j.ccr.2021.214117



Scientists underscore the potential of a new class of materials to convert sunlight to fuel. Credit: Shoolini University

Photocatalysts absorb energy from light to make a chemical reaction happen. The best known photocatalyst is perhaps chlorophyll, the green pigment in plants that helps turn sunlight into carbohydrates. While carbohydrates may be falling out of favor, photocatalysis is garnering more attention than ever. In a photocatalytic process, light falls on a

photocatalyst, increases the energy of its electrons and causes them to break their bonds and move freely through the catalyst. These "excited" electrons then react with the raw materials of a chemical reaction to produce desired products. A top priority in the field of alternate energy research is using photocatalysts to convert solar energy to fuel, a process called "solar-to-fuel production."

In an article published in *Coordination Chemistry Reviews*, Dr. Changlei Xia from Nanjing Forestry University, China; Dr. Kent Kirlikovali from Northwestern University, U.S.; Dr. Thi Hong Chuong Nguyen, Dr. Xuan Cuong Nguyen, Dr. Quoc Ba Tran, and Dr. Chinh Chien Nguyen from Duy Tan University, Vietnam; Dr. Minh Khoa Duong and Dr. Minh Tuan Nguyen Dinh from The University of Da Nang, Vietnam; Dr. Dang Le Tri Nguyen from Ton Duc Thang University, Vietnam; Dr. Pardeep Singh and Dr. Pankaj Raizada from Shoolini University, India; Dr. Van-Huy Nguyen from Binh Duong University, Vietnam; Dr. Soo Young Kim and Dr. Quyet Van Le from Korea University, South Korea; Dr. Laxman Singh from Patliputra University, India; and Dr. Mohammadreza Shokouhimer from Seoul National University, South Korea, have highlighted the potential of covalent organic frameworks (COFs), a new class of light-absorbing materials, in solar-to-fuel production.

As Dr. Pardeep Singh explains, "Solar energy has been successfully tapped to make electricity, but we are not yet able to efficiently make liquid fuels from it. These solar fuels, like hydrogen, could be an abundant supply of sustainable, storable, and portable energy."

The specialty of COFs lies in their ability to improve catalysis and add special substituent molecules called "functional groups" to their structure, providing a way around the limitations of existing photocatalysts. This is due to certain favorable properties of COFs such as chemical stability, controllable porosity, and strong electron

delocalization, which make them extra stable.

Like the name suggests, COFs consist of organic molecules that are bonded together into a structure that can be tailored to suit various applications. Moreover, strong electron delocalization means that, unlike in semiconductor photocatalysts, the excited electrons recombine midway only infrequently, resulting in more excited electrons for the chemical reaction. Since these reactions occur at the surface of the [photocatalyst](#), the increased surface area and modifiable porosity of COFs is a huge advantage. COF-photocatalysts find application in the conversion of water to hydrogen, and the production of methane from carbon dioxide, thus promising the dual benefit of producing fuel and mitigating global warming. Furthermore, they can even help with nitrogen fixation, plastics production, and storage of gases.

A new kind of COF, covalent triazine frameworks (CTFs), are currently at the cutting-edge of hydrogen production research. CTFs have 20-50 times the ability to produce hydrogen, compared to graphitic photocatalysts, making them a very promising option for future fuel production.

However, before we put the solar-powered cart before the horse, it is important to note that COF-based photocatalysts are at an early stage of development and still do not produce fuel as efficiently as their semiconductor-based counterparts. Nevertheless, their outstanding properties and structural diversity make them promising candidates for future solar-to-fuel research and a viable solution for the ongoing energy crisis. "The most essential issue is to explore robust COFs-derived catalysts for the desired applications. It can be expected that COF-based photocatalysts will achieve a new milestone in the coming years," concludes an optimistic Dr. Pankaj Raizada.

Indeed, a future based on clean energy seems not that far away.

More information: Changlei Xia et al, The emerging covalent organic frameworks (COFs) for solar-driven fuels production, *Coordination Chemistry Reviews* (2021). [DOI: 10.1016/j.ccr.2021.214117](https://doi.org/10.1016/j.ccr.2021.214117)

Provided by Shoolini University

Citation: Harnessing sunlight to fuel the future through covalent organic frameworks (2021, August 12) retrieved 25 April 2024 from <https://phys.org/news/2021-08-harnessing-sunlight-fuel-future-covalent.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.