

Researchers visualize 'molecular postman' that delivers important proteins



The 'molecular postman' in action. A - The SPC has to tell signal peptidecontaining proteins from others. B - The SPC uses the phospholipid membrane as a 'molecular ruler' to measure the length of signal peptides (pink). Credit: Utrecht University

Researchers from Utrecht University have visualized the "molecular postman" that makes sure many important proteins can be delivered

August 13 2021



outside of cells. This has profound implications for our understanding of protein secretion, which in the future can be used for the production of cheaper protein-based therapeutics such as insulin, and for the development of new drugs against Corona-, Dengue-, and Zika-viruses as well as novel antibiotics. The researchers are publishing their results today in the scientific journal *Molecular Cell*.

Address labels

Many proteins, like antibodies, hemoglobin, or some hormones, are produced inside cells and must subsequently be trafficked to the exterior so they can function properly. Like in a post office, cells attach "address labels" called signal peptides to these protein molecules to send them where they are needed. However, in a "cellular <u>post office</u>," some of these address labels need to be removed for the cargo to function properly, while some others must remain, with equally detrimental consequences in case of failure. Therefore, the distinction between these two cases is crucial for the function of all types of life-sustaining molecules.

Molecular postman

Using a Nobel prize-winning, state-of-the-art imaging technique called cryo-<u>electron microscopy</u> (cryo-EM), the team of scientists lead by Prof. Friedrich Förster, in collaboration with Prof. Richard Scheltema and his group, has now visualized the human Signal Peptidase Complex (SPC), the "molecular postman" that is at the center of this decision-making process and has to process more than 3,000 different cargo proteins. The research has revealed that the SPC uses a "molecular ruler" made of phospholipids to measure the length of the signal peptides in order to decide which address labels to remove and which ones to keep.





The Signal Peptidase Complex or 'molecular postman', re-imagined as AIgenerated oil paintings. Credit: Utrecht University

Formidable challenge

Lead author Manuel Liaci explains: "Visualizing the molecular architecture of the SPC was a formidable challenge that had been unmet for decades. The SPC is extremely small and it is integrated in the membrane of the cell, which makes it incredibly difficult to look at with the sub-nanometer resolution we needed."

Prof. Förster and his team employed a <u>multidisciplinary approach</u> combining their imaging technique with <u>mass spectrometry</u> and computer simulations, which enabled them to precisely define the molecular mechanism of signal peptide recognition and removal. The revelation of the SPC structure represents a major advancement in the field, since it is the smallest membrane protein that has been visualized to near-atomic detail by cryo-EM so far.

More information: A. Manuel Liaci et al, Structure of the human signal peptidase complex reveals the determinants for signal peptide cleavage, *Molecular Cell* (2021). DOI: 10.1016/j.molcel.2021.07.031



Provided by Utrecht University Faculty of Science

Citation: Researchers visualize 'molecular postman' that delivers important proteins (2021, August 13) retrieved 27 June 2024 from <u>https://phys.org/news/2021-08-visualize-molecular-postman-important-proteins.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.