

## **Clover growth in Mars-like soils boosted by bacterial symbiosis**

September 29 2021



Observed growth differences between clover (Melilotus officinalis) inoculated with nodule forming bacteria Sinorhizobium meliloti (left) and a clover plant not inoculated when grown in Martian regolith. Credit: Harris et al., 2021, *PLOS ONE*, CC-BY 4.0 (creativecommons.org/licenses/by/4.0/)



Clover plants grown in Mars-like soils experience significantly more growth when inoculated with symbiotic nitrogen-fixing bacteria than when left uninoculated. Franklin Harris of Colorado State University, U.S., and colleagues present these findings in the open-access journal *PLOS ONE* on September 29, 2021.

As Earth's population grows, researchers are studying the possibility of farming Martian soils, or "regolith." However, regolith is lacking in some essential plant nutrients, including certain nitrogen-containing molecules that plants require to live. Therefore, agriculture on Mars will require strategies to increase the amount of these nitrogen compounds in regolith.

Harris and colleagues hypothesize that <u>bacteria</u> could play a costeffective role in making Martian soils more fertile. On Earth, bacteria in soils help convert or "fix" atmospheric nitrogen into the molecules that plants need. Some of these microbes have <u>symbiotic relationships</u> with plants, in which they fix nitrogen within nodules found on <u>plant roots</u>.

To explore a possible role for symbiotic nitrogen-fixing bacteria in astroagriculture, the researchers grew clover in man-made regolith that closely matches that of Mars. They inoculated some of the plants with the microbe Sinorhizobium meliloti, which is commonly found in clover root nodules on Earth. Previous research had shown that clover can be grown in regolith, but had not explored inoculation with nitrogen- fixers.

The researchers found that the inoculated clover experienced 75% more root and shoot growth compared to the uninoculated clover. However, the regolith surrounding the inoculated plants showed no signs of elevated NH4—an essential nitrogen-containing molecule for plants—compared to the regolith surrounding uninoculated plants.

These findings suggest that the symbiotic microbes boosted clover



growth, but did not result in excess production of nitrogen compounds that other plants growing nearby could hypothetically use. The researchers also grew some clover in potting soil and noted certain differences in the symbiotic relationship when comparing the plants grown in regolith versus <u>soil</u>.

These findings suggest the possibility that symbiosis between <u>plants</u> and nitrogen-fixing bacteria could aid agriculture on Mars. Future research could continue to explore such relationships with other crops and address issues with plant toxicity in regolith.

The authors add: "This study shows that nodule forming bacteria Sinorhizobium meliloti has been shown to nodulate in Martian regolith, significantly enhancing growth of <u>clover</u> (Melilotus officinalis) in a greenhouse assay. This work increases our understanding of how plant and microbe interactions will help aid efforts to terraform regolith on Mars."

**More information:** Harris F, Dobbs J, Atkins D, Ippolito JA, Stewart JE (2021) Soil fertility interactions with Sinorhizobium-legume symbiosis in a simulated Martian regolith; effects on nitrogen content and plant health. *PLoS ONE* 16(9): e0257053. doi.org/10.1371/journal.pone.0257053

Provided by Public Library of Science

Citation: Clover growth in Mars-like soils boosted by bacterial symbiosis (2021, September 29) retrieved 26 June 2024 from <u>https://phys.org/news/2021-09-clover-growth-mars-like-soils-boosted.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.