


Studying the moon's oldest geologic imprints

September 14 2021



This is a composite image of the lunar nearside taken by the Lunar Reconnaissance Orbiter in June 2009, note the presence of dark areas of maria on this side of the moon. Credit: NASA

New Curtin research has found the moon may have been subjected to much greater impacts from asteroids and other bodies than previously thought, building on our understanding of the moon's earliest geologic evolution.

Published in *Nature Communications*, the research provides a greater insight of how the oldest impact events on the moon may have left near-invisible cratering imprints, offering a [unique perspective](#) about the [evolution](#) of the Earth-moon system.

Lead researcher Associate Professor Katarina Miljkovic, from Curtin's School of Earth and Planetary Science and the Space Science and Technology Centre, said the craters on the moon may have looked significantly different if they occurred while the moon was still cooling, following its formation.

"These large impact craters, often referred to as impact basins, formed during the lunar [magma](#) ocean solidification more than four billion years ago, should have produced different looking craters, in comparison to those formed later in [geologic history](#)," Associate Professor Miljkovic said.

"A very young moon had formed with a global magma ocean that cooled over millions of years, to form the moon we see today. So when asteroids and other bodies hit a softer surface, it wouldn't have left such severe imprints, meaning there would be little geologic or geophysical evidence that impact had occurred."

"The timeframe for the solidification of the lunar magma ocean varies significantly between different studies, but it could have been prolonged enough to experience some of the large impact bombardment history typical for the earliest periods of the solar system evolution.

"As the moon ages and the surface cools, it becomes harder, and the bombardment imprints are a lot more noticeable by remote sensing."

Associate Professor Miljkovic said it remained imperative to understand the bombardment and the cratering record from the earliest epochs of solar system history in order to complete the story of how planets formed and evolved.

By comparing different perspectives of asteroid dynamics and lunar evolution modeling, Associate Professor Miljkovic said her research suggested the [moon](#) may be missing evidence of its earliest cratering record.

"In this research, we set out to explain the discrepancy between theory and observations of the lunar cratering record," Associate Professor Miljkovic said.

"Translating this finding will help future research understand the impact that the early Earth could have experienced and how it would have affected our planet's evolution."

The full paper is titled "Large impact cratering during lunar magma ocean solidification."

More information: K. Miljković et al, Large impact cratering during lunar magma ocean solidification, *Nature Communications* (2021). [DOI: 10.1038/s41467-021-25818-7](https://doi.org/10.1038/s41467-021-25818-7)

Provided by Curtin University

Citation: Studying the moon's oldest geologic imprints (2021, September 14) retrieved 20 June

2024 from <https://phys.org/news/2021-09-moon-oldest-geologic-imprints.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.