

Next-gen 3D printed catalysts to propel hypersonic flight

September 8 2021



Developed as part of NASA's Hyper-X program, the X-43A hypersonic research vehicle made aviation history in 2004, reaching speeds above Mach 9.6 or over 10,000km/h. Credit: NASA

Ultra-efficient 3D printed catalysts could help solve the challenge of overheating in hypersonic aircraft and offer a revolutionary solution to thermal management across countless industries.



Developed by researchers at RMIT, the highly versatile catalysts are costeffective to make and simple to scale.

The team's lab demonstrations show the 3D printed catalysts could potentially be used to power hypersonic flight while simultaneously cooling the system.

The research is published in the Royal Society of Chemistry journal, *Chemical Communications*.

Lead researcher Dr. Selvakannan Periasamy said their work tackled one of the biggest challenges in the development of hypersonic aircraft: controlling the incredible heat that builds up when planes fly at more than five times the speed of sound.

"Our lab tests show the 3D printed catalysts we've developed have great promise for fuelling the future of hypersonic flight," Periasamy said.

"Powerful and efficient, they offer an exciting potential solution for thermal management in aviation—and beyond.

"With further development, we hope this <u>new generation</u> of ultraefficient 3D printed catalysts could be used to transform any <u>industrial</u> <u>process</u> where overheating is an ever-present challenge."

Need for speed

Only a few experimental planes have reached hypersonic speed (defined as above Mach 5—over 6,100km an hour or 1.7km per second).

In theory, a hypersonic aircraft could travel from London to Sydney in four hours but many challenges remain in the development of hypersonic air travel, such as the extreme heat levels.



First author and Ph.D. researcher Roxanne Hubesch said using fuel as a coolant was one of the most promising experimental approaches to the overheating problem.

"Fuels that can absorb heat while powering an aircraft are a key focus for scientists, but this idea relies on heat-consuming <u>chemical reactions</u> that need highly efficient catalysts," Hubesch said.

"Additionally, the heat exchangers where the fuel comes in contact with the catalysts must be as small as possible, because of the tight volume and weight constraints in hypersonic aircraft."

To make the new catalysts, the team 3D printed tiny heat exchangers made of metal alloys and coated them with synthetic minerals known as zeolites.

The researchers replicated at lab scale the extreme temperatures and pressures experienced by the fuel at hypersonic speeds, to test the functionality of their design.





A range of experimental designs for the 3D printed catalysts. Credit: RMIT University

Miniature chemical reactors

When the 3D printed structures heat up, some of the metal moves into the zeolite framework– a process crucial to the unprecedented efficiency of the new catalysts.

"Our 3D printed catalysts are like miniature <u>chemical</u> reactors and what makes them so incredibly effective is that mix of metal and synthetic minerals," Hubesch said.

"It's an exciting new direction for catalysis, but we need more research to fully understand this process and identify the best combination of



metal alloys for the greatest impact."

The next steps for the research team from RMIT's Centre for Advanced Materials and Industrial Chemistry (CAMIC) include optimizing the 3D printed catalysts by studying them with X-ray synchrotron techniques and other in-depth analysis methods.

The researchers also hope to extend the potential applications of the work into air pollution control for vehicles and miniature devices to improve indoor air quality—especially important in managing airborne respiratory viruses like COVID-19.

CAMIC Director, Distinguished Professor Suresh Bhargava, said the trillion-dollar chemical industry was largely based on old catalytic technology.

"This third generation of catalysis can be linked with 3D printing to create new complex designs that were previously not possible," Bhargava said.

"Our new 3D printed catalysts represent a radical new approach that has real potential to revolutionize the future of catalysis around the world."

The 3D printed catalysts were produced using Laser Powder Bed Fusion (L-PBF) technology in the Digital Manufacturing Facility, part of RMIT's Advanced Manufacturing Precinct.

Bhargava and Distinguished Professor Milan Brandt, director of the Digital Manufacturing Facility, conceptualized the idea of 3D printed catalysts and chemical reactor design.

Study co-author Dr. Maciej Mazur, from the RMIT Centre for Additive Manufacturing, said the work was a strong example of innovation made



possible through cross-disciplinary collaboration.

"Combining additive manufacturing with chemical sciences has produced groundbreaking results," Mazur said.

"Zeolites on 3D-Printed Open Metal Framework Structure: Metal migration into zeolite promoted catalytic cracking of endothermic fuels for flight vehicles" is published in *Chemical Communications*.

More information: Roxanne Hubesch et al, Zeolites on 3D-printed open metal framework structure: metal migration into zeolite promoted catalytic cracking of endothermic fuels for flight vehicles, *Chemical Communications* (2021). DOI: 10.1039/D1CC04246G

Provided by RMIT University

Citation: Next-gen 3D printed catalysts to propel hypersonic flight (2021, September 8) retrieved 23 June 2024 from <u>https://phys.org/news/2021-09-next-gen-3d-catalysts-propel-hypersonic.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.