

Ultrasound at the nanometer scale reveals the nature of force

September 16 2021, by Jane Icke



Figure 1. Samples and experimental setup. a) Crystal structure of α - and β -In2Se3.[20, 31] The solid boxes mark the unit cells of α - In2Se3 (2H) and β -In2Se3 (3R). b) Raman spectra for α - and β -In2Se3 flakes; insets—optical images of the flakes. c) Schematic diagram of the pump-probe setup for measuring the sound velocity: PD—photodetector; SHG—second harmonic generator; f1 and f2 are repetition rates of pulses from pump and probe lasers, respectively. Here, f1, f2 \approx 80 MHz and a small difference f1 – f2 = 800 Hz



results in a slow temporal scanning of the probe pulses relative to the pump pulses, providing a temporal resolution ≈ 1 ps. The dotted arrows show the direction of light. d) The zoomed fragment of the sample space in the PU experiments with 400 nm pump and 800 nm probe. Credit: DOI: 10.1002/adfm.202106206

Researchers have developed a new method to measure force and atomic bonds at the nanoscale that reveals that the speed of sound depends on the structure it is traveling through.

Scientists from the University of Nottingham and Loughborough University used a measurement method called picosecond ultrasonics, similar to medical ultrasound, to measure the strength of atom bonding within material. Their research has been published in *Advanced Functional Materials*.

Force is fundamental to everything in daily life. From as large-scale as gravitational force that underlines the operation of the whole universe, to as small-scale as electron-electron interaction that can be hair raising. Force is very difficult to measure especially when the forces are too big or too small, this is especially the case when we enter the nanoworld, for example in the so-called two-dimensional van der Waals (2D-vdW) materials where objects have length scales in the range of 10⁻⁹ meters.

These materials are called 2D materials because their geometrical, physical and chemical properties are confined in two dimensions within a thin sheet of material. Within the sheet, atoms are tightly bonded to each other through strong covalent or ionic bonds, whereas the layers themselves are held together by weak van der Waals <u>force</u>. The utterly different nature and coexistence of these vastly different strength forces allow scientists to "peel" the material from bulky mined crystals to



perfect single atomic layers and discover amazing phenomena including room temperature superconductivity. Drawing on a piece of paper using pencils for example, is in fact a scientific experiment to make single atomic layers of carbon atoms (graphene), something we all have been doing for centuries without realizing. Despite intensive investigation of vdW materials by many research groups around the world, there are barely any experimental techniques to measure the strength of <u>atomic</u> <u>bonds</u> and vdW forces without destroying the materials.

Wenjing Yan was one of the lead researchers from the School of Physics and Astronomy at University of Nottingham, she explains: "We used picosecond ultrasonics to measure both the strong covalent bonds and weak vdW forces without damaging the material. The technique is similar to medical ultrasound but with a much higher frequency (terahertz) and thus non-invasive. The study shines 120 femtosecond (0.0000000000012 second) "pump" laser pulses on flakes of 2D materials, generating phonons which are quantised sound waves. As phonons travel through the material, they feel and interact with the atoms and the bonds within the material. The properties of these phonons, which reflect the strength of the atomic bonds, is then measured by a second "probe" laser pulse. We found that sound travels at very different speeds in different phases (structures) of the same substance."

Alexander Balanov and Mark Greenaway from Loughborough University expand: "Whilst traveling through the vdW material, the ultrasonic acoustic wave does not destroy the crystal, only slightly deforms it, which means the structure can be thought of as a system of "springs." By knowing the speed of sound from measurements and how these springs respond to the deformation, we can extract the relative strength of the covalent forces between the atoms and the vdW forces between the layers. If we apply so-called density function theory with the help of high performance computers we can numerically estimate these



forces for different stacking configurations and suggest how to tune the elastic, electric and even chemical properties of different polymorphs of vdW materials."

"A good analogy for our findings can be made by thinking about pancake and Yorkshire pudding! Both foods are made from the same mixture: egg, flour and milk, but their different cooking processes give them different structures and properties. Although this is obvious in the macroscopic world, finding such differences in nanostructured materials due to subtle differences in vdW forces is surprising and exciting," says Wenjing Yan. "This research opens possibilities to tune vdW forces by stacking materials in different ways and at the same time nondestructively monitor the properties of these forces and their correlation with the physical and <u>chemical properties</u> of the multilayer structure. By doing this, we will be able to design the material for purpose just like building Lego blocks as proposed by the Nobel Prize laureates Andre Geim and Konstantin Novoselov."

More information: Wenjing Yan et al, Nondestructive Picosecond Ultrasonic Probing of Intralayer and van der Waals Interlayer Bonding in α - and β -In 2 Se 3, *Advanced Functional Materials* (2021). <u>DOI:</u> <u>10.1002/adfm.202106206</u>

Provided by University of Nottingham

Citation: Ultrasound at the nanometer scale reveals the nature of force (2021, September 16) retrieved 21 May 2024 from <u>https://phys.org/news/2021-09-ultrasound-nanometer-scale-reveals-nature.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.