


Cell 'quakes' may help cells respond to the outside world

October 4 2021



New computer simulations from UMD reveal that much like earthquakes cell

“quakes”—sudden restructuring of the cytoskeleton, or scaffolding, inside animal cells—is caused by the slow buildup and rapid release of mechanical energy. This image shows a simulated model cytoskeleton (red, green and blue mesh) contained within a cell membrane depicted in light blue. Credit: Haoran Ni / University of Maryland

Animal cells get their structural integrity from their cytoskeleton, a shapeshifting mesh of filaments inside a cell that helps the cell organize its structure and communicate with its environment. A few years ago, scientists noticed that parts of the cytoskeleton would occasionally rearrange very rapidly, causing an earthquake-like disturbance in part of the cell. They named these disturbances cytoquakes, but no one understood how or why they happened.

New computer simulations developed by University of Maryland researchers reveal that these cytoquakes are caused by the slow buildup and sudden release of mechanical energy within the cell. The researchers believe the quakes may help the cell respond rapidly to signals from the outside environment, like chemicals produced by other [cells](#) or hormones in the bloodstream.

The research appears in the October 8, 2021, issue of the journal *Proceedings of the National Academy of Sciences*.

"Cytoquakes represent a sudden remodeling of a very important component of the cell, but the physics behind them really wasn't known," said Garegin Papoian, a co-author of the study who is the Monroe Martin Professor of Chemistry and Biochemistry with a joint appointment in the Institute for Physical Science and Technology at the University of Maryland. "We think these cytoquakes must be biologically important because the cytoskeleton is involved in so many

functions within the cell. Understanding the physics behind them can provide insight into how cells work."

The cytoskeleton is like an internal scaffolding within [animal cells](#). It is made of a network of filaments that constantly grow, shrink, attach and detach from one another. In addition to providing [structure](#) to a cell, the filaments also serve as tracks for chemical signals to flow from one part of a cell to another.

Papoian and his colleagues hypothesized that the sudden rapid restructuring that happens in cytoquakes was the result of the cytoskeleton's physical structure being particularly sensitive to its environment. He likens it to the sensitivity of a pile of sand compared with a brick. Both may be made of the same molecules, but the brick holds its structure, even under pressure, without collapsing. The pile of sand may hold its structure for a long while but then suddenly collapses into an avalanche of sliding sand.

To test the hypothesis, the team created a computer simulation of a model cytoskeleton using a pioneering active matter simulation software that they developed called MEDYAN for "mechanochemical dynamics of active networks." The software applies the laws of chemistry and physics to determine how the molecules within the cytoskeleton interact and behave.

The study revealed that the filaments in a cytoskeleton arrange themselves a bit like a shape-shifting tensegrity structure. In the macroscopic world, a tensegrity structure is a kind of geometric toy or sculpture made of cables and floating rods under tension and compression that appear to defy gravity. Analyzing these cellular tensegrity structures helped Papoian and his colleagues understand tension release within the cytoskeleton. They found that tension applied to one area of the structure can build and cause tension until it suddenly

releases in another area. In other words, the cytoskeleton behaves more like a pile of sand than a brick.

The [physical structure](#) of the cytoskeleton allows tension to build between some of the filaments like the tension between grains of sand in a sand pile or between two tectonic plates along a fault line. When some threshold is met, the tension suddenly releases, the pile of sand collapses, an earthquake rumbles or a cytoquake occurs.

"We postulate that the cytoquake mechanism poises the cell to react quickly to external signals from its environment compared to a system without this mechanism," Papoian said.

For example, if a cell involved in repairing injuries must rush to the site of a wound, the cytoquake mechanism may respond to chemical signals from the injury site by jolting the cell into motion. When a cell migrates through the body, the leading edge may also use this mechanism to project or collapse protrusions as the cell probes its local neighborhood.

The team's next step will be to expand on their simulation methods to include more parts of a cell such as the nucleus. They recently simulated the outer membrane of a cell and analyzed how the [cytoskeleton](#) pushes against this membrane to form finger-like protrusions.

"This work is showing us that we can use MEDYAN to model important components of a cell," Papoian said. "Ideally, we would like to keep going and essentially build the fundamental model of a whole cell at single molecule resolution."

The research paper, "Understanding cytoskeletal avalanches using mechanical stability analysis," Carlos Floyd, Herbert Levine, Christopher Jarzynski, and Garegin A. Papoian, was published on October 4, 2021, in the *Proceedings of the National Academy of Science*.

More information: Understanding cytoskeletal avalanches using mechanical stability, *Proceedings of the National Academy of Sciences* (2021). doi.org/10.1073/pnas.2110239118

Provided by University of Maryland

Citation: Cell 'quakes' may help cells respond to the outside world (2021, October 4) retrieved 6 July 2024 from <https://phys.org/news/2021-10-cell-quakes-cells-world.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.