

Projection of extreme rainfall improved

October 22 2021



Flooding in Ouagadougou, Burkina Faso, in 2017. Credit: Fowe Tazen / Gnenakantanhan Coulibaly

Mapping the effects of mostly small-scale but extreme rainfall events in global climate models poses major challenges. Computer models that are used to simulate the global climate, for example in the reports of the Intergovernmental Panel on Climate Change (IPCC), usually have a resolution of grids with a scale of approximately 100x100 kilometers.



"Most clouds, air swirls and mountains are smaller than 100 kilometers, so they are not completely 'seen' in many climate models-this also means that thunderstorms and associated rainfall extremes cannot be simulated in a realistic way. The principle is comparable to high- and low-resolution television: In HD, you see every blade of grass on a football field, while on an old TV you might just recognize the ball," explains Dr. Cornelia Klein from the Department of Atmospheric and Cryospheric Sciences. " Improved computing power finally makes first high-resolution climate projections possible, which are able to 'see' storms. Using such a high-resolution projection for the Sahel as an example, we have worked out a method to bring together the best of the climate modeling and observed data worlds, providing improved estimates for probable intensities of future extreme rainfall events." The results of the study have recently been published in the journal Environmental Research Letters and are a collaboration between researchers from the University of Innsbruck and the UK Centre for Ecology & Hydrology (UKCEH). Reliable information on future extreme rainfall events is of great importance for areas such as urban development, water and energy infrastructure, flood resilience measures and sustainable agricultural practices. "This is especially relevant for regions that are very vulnerable to extreme weather events—such as in West Africa," says Klein.

Models and observation

Using the Sahel as an example, the team devised a statistically based method that combines the projection of a high-resolution model of the British meteorological service "Met Office" for the African continent with a large number of commonly-used global climate models and observational data. These "observational data" include information on cloud formations and rainfall intensities from satellite data as well as humidity and wind measurements. These factors are essential for the occurrence of severe thunderstorms, but can only be captured and



predicted accordingly with high-resolution data. "Our results show that the projected hourly precipitation during extreme weather events in the Sahel towards the end of this century could be up to 25 percent higher than currently predicted by traditional climate models," explains the atmospheric scientist. "From observational data and the high-resolution climate model we were able to learn how rainfall intensities from thunderstorms react to atmospheric changes in humidity or wind. We then used this knowledge to translate projected atmospheric changes from a large number of traditional climate models into extreme rainfall changes. The crux here is that we consider large-scale atmospheric changes in traditional climate models as at least plausible, which cannot be said about their rainfall extremes." "With our calculations, we can create a better risk assessment for future rainfall extremes by deriving more realistic, process-based rainfall changes for a large number of climate simulations."

More information: Cornelia Klein et al, Combining CMIP data with a regional convection-permitting model and observations to project extreme rainfall under climate change, *Environmental Research Letters* (2021). DOI: 10.1088/1748-9326/ac26f1

Provided by Universität Innsbruck

Citation: Projection of extreme rainfall improved (2021, October 22) retrieved 9 August 2024 from <u>https://phys.org/news/2021-10-extreme-rainfall.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.