


New type of magnetism unveiled in an iconic material

October 5 2021



Credit: CC0 Public Domain

Since the discovery of superconductivity in Sr_2RuO_4 in 1994, hundreds of studies have been published on this compound, which have suggested that Sr_2RuO_4 is a very special system with unique properties. These properties make Sr_2RuO_4 a material with great potential, for example, for the development of future technologies including superconducting

spintronics and quantum electronics by virtue of its ability to carry lossless electrical currents and magnetic information simultaneously. An international research team led by scientists at the University of Konstanz has been now able to answer one of the most interesting open questions on Sr_2RuO_4 : why does the superconducting state of this material exhibit some features that are typically found in materials known as ferromagnets, which are considered being antagonists to superconductors? The team has found that Sr_2RuO_4 hosts a new form of magnetism, which can coexist with superconductivity and exists independently of superconductivity as well. The results have been published in the current issue of *Nature Communications*.

After a research study that lasted several years and involved 26 researchers from nine different universities and research institutions, the missing piece of the puzzle seems to have been found. Alongside the University of Konstanz, the universities of Salerno, Cambridge, Seoul, Kyoto and Bar Ilan as well as the Japan Atomic Energy Agency, the Paul Scherrer Institute and the Centro Nazionale delle Ricerche participated in the study.

So far not the right tool to find evidence

"Despite decades of research on Sr_2RuO_4 , there had been no evidence for the existence of this unusual type of [magnetism](#) in this material. A few years ago, however, we wondered if the reconstruction that happens in this material on the surface, where the crystal structure exhibits some small changes at the atomic scale level, could also lead to an electronic ordering with [magnetic properties](#). Following this intuition, we realized that this question had probably not been addressed because nobody had used the "right tool" to find evidence for this magnetism, which we thought could be extremely weak and only limited to a few atomic layers from the surface of the material" states the leader of this international research study, Professor Angelo Di Bernardo from the University of

Konstanz, whose research focuses on superconducting spintronic and quantum devices based on innovative materials.

To carry out the experiment, the team used high-quality single crystals of Sr_2RuO_4 prepared by the group of Dr. Antonio Vecchione from the Centro Nazionale delle Ricerche (CNR) Spin in Salerno. "Making large crystals of Sr_2RuO_4 without any impurities was a big challenge albeit crucial for the success of the experiment, since defects would have given a signal similar to the magnetic signal which we were hunting," says Dr. Vecchione.

The right tool is a beam of muons

The special "tool" which the researchers used to unveil the new magnetism is a beam of particles called muons that are produced in a particle accelerator in Switzerland at the Paul Scherrer Institute (PSI). "At PSI we have the only facility in the world to produce muons which can be implanted with a precision of a few nanometers. These particles, which can be used to detect extremely tiny magnetic fields, could be stopped very close to the surface of Sr_2RuO_4 , which was crucial for the success of the experiment" says Dr. Zaher Salman who coordinated the experiment at the PSI muon facility.

"It was a really nice experience to carry out measurements in an international beamtime facility like PSI and interact with such a large group of inspiring scientists from all over the world, since the very beginning of my doctorate in Konstanz" says Roman Hartmann, a doctoral researcher who equally contributed as first author to the study.

The authors also developed a theoretical model suggesting the origin of this hidden surface magnetism. "Unlike for conventional magnetic materials whose magnetic properties originate from the quantum mechanical property of an electron known as spin, a cooperative swirling

motion of interacting electrons, generating circulating currents at the nanometer scale, underlies the magnetism discovered in Sr_2RuO_4 " states Dr. Mario Cuoco from the CNR-spin who developed the theoretical model along with Dr. Maria Teresa Mercaldo and other colleagues at the University of Salerno.

New insights for basic and applied research

As pointed out by Professor Jason Robison at the University of Cambridge, the results confirm that "physical properties can be dramatically modified at a complex material surface and at interfaces within thin-film heterostructures, and these modifications can be exploited for discovering new science for basic and applied research including the design and development of quantum devices."

The co-authors of the project also include Professor Yoshiteru Maeno at the University of Kyoto, the scientist who first discovered superconductivity in Sr_2RuO_4 in 1994 and who has contributed to some of the most important studies on this material reported over the last 30 years.

"This finding not only resolves a long-standing puzzle and makes the iconic material Sr_2RuO_4 even more interesting than before, but may also trigger new investigations which eventually help answering other striking open questions in materials science", says Professor Elke Scheer from the University of Konstanz, another of the leaders of the project and head of the Mesoscopic Systems research team.

The new type of magnetism discovered in Sr_2RuO_4 is essential to also better understanding the other physical properties of Sr_2RuO_4 including its unconventional superconductivity. The fundamental discovery may also lead to the search for this new form of magnetism in other materials similar to Sr_2RuO_4 as well as trigger new studies to better understand

how such magnetism can be manipulated and controlled for novel quantum electronics applications.

More information: R. Fittipaldi et al, Unveiling unconventional magnetism at the surface of Sr_2RuO_4 , *Nature Communications* (2021). DOI: [10.1038/s41467-021-26020-5](https://doi.org/10.1038/s41467-021-26020-5)

Provided by University of Konstanz

Citation: New type of magnetism unveiled in an iconic material (2021, October 5) retrieved 4 June 2024 from <https://phys.org/news/2021-10-magnetism-unveiled-iconic-material.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.