


Particle refinement induces and increases cycle capacity of sodium/lithium-ion batteries

October 11 2021, by Li Yuan



Schematic diagram of the mechanism of particle refinement to induce increase the cycle capacity of SIBs. Credit: WANG Canpei

Sodium ion batteries (SIBs) have attracted wide attention owing to the advantages of abundant sodium source and low cost. Electrodes with higher Na^+ storage capability and cycling stability are vital to improve the energy density and rate capability of SIBs.

Recently, Prof. Li Xianfeng's group and Assoc. Prof. Zheng Qiong's group from the Dalian Institute of Chemical Physics (DICP) of the Chinese Academy of Sciences (CAS), in collaboration with Prof. Tang Yongfu's group from Yanshan University, proposed a new mechanism of sodium/lithium ion batteries electrode energy storage.

This study was published in *Angewandte Chemie International Edition* on Sept. 14.

The researchers designed a coral-like FeP composite with FeP nanoparticles anchored and dispersed on a nitrogen-doped three-dimensional carbon framework (FeP@NC). The coral-like FeP@NC composite had a shorter charge transfer path and a higher conductive N-doped carbon network, which improved the charge transfer kinetics of this composite.

Due to the highly continuous N-doped carbon framework and a spring-buffering graphitized carbon layer around the FeP nanoparticle, the SIB with FeP@NC composite exhibited an ultra-stable cycling performance at 10 A g^{-1} with a capacity retention of 82.0 percent in 10,000 cycles.

More importantly, they combined electrochemical research and in-situ electron microscopy characterization to confirm a unique mechanism of particle refinement to induce increase capacity during cycling, and this capacity-enhancing effect was more pronounced under small currents.

They found that the FeP nanoparticles went through a refining-recombination process during the first cycle and presented a global refining trend after dozens of cycles. This resulted in a gradual increase in graphitization degree and interface magnetization, and further provided more extra active sites for Na^+ storage and contributed to a rising capacity with cycling. The capacity ascending phenomenon could also extend to [lithium-ion batteries](#) (LIBs). It can maintain a capacity

retention of 90.3 percent for LIBs after 5,000 cycles at 10 A g^{-1} .

More information: Canpei Wang et al, A Coral-Like FeP@NC Anode with Increasing Cycle Capacity for Sodium-Ion and Lithium-Ion Batteries Induced by Particle-Refinement, *Angewandte Chemie International Edition* (2021). [DOI: 10.1002/anie.202110177](https://doi.org/10.1002/anie.202110177)

Provided by Chinese Academy of Sciences

Citation: Particle refinement induces and increases cycle capacity of sodium/lithium-ion batteries (2021, October 11) retrieved 21 June 2024 from <https://phys.org/news/2021-10-particle-refinement-capacity-sodiumlithium-ion-batteries.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.