


Reducing plastic pollution by adding RNA-inspired 'breaking points'

October 20 2021



To fight plastic pollution, researchers have developed a new type of PLA that breaks down more readily in seawater. Credit: Frederik Wurm

Once plastic products are used and discarded, they can linger in oceans, collecting in large "garbage patches" and harming sea life. One potential solution, a biodegradable polymer called polylactide (PLA), has so far not fully lived up to its promise, showing little sign of breakdown once in seawater. In a new study in the *Journal of the American Chemical Society*, researchers set out to address this issue by incorporating RNA-inspired breaking points to the polymer.

By some estimates, conventional [plastic](#) can take hundreds of years to decompose in the ocean, but no one really knows how long it will continue to clutter the seas. One replacement material, PLA, can be manufactured from [natural sources](#), such as corn and potato starch. It can rapidly degrade under specific conditions, such as when composted, and is often used in compostable tableware and cutlery. However, studies of PLA in seawater and in soil found no significant signs of degradation after at least three years. Researchers have developed several approaches for making faster-degrading PLA, but these have drawbacks, such as altering the material's properties. It turns out that water can easily break apart the biological molecule RNA, thanks to a process called transesterification. So, taking inspiration from this process, Frederik Wurm and colleagues wanted to introduce chemical groups to PLA to make it easier for the polymer to break down in the ocean.

The researchers added breaking points to PLA during its synthesis by incorporating transesterification sites similar to those found in RNA. They created different versions of the modified PLA, containing enough of these sites to account for 3-15% of the polymers. In experiments, they immersed films of the new PLAs in artificial seawater and measured the change in weight of the films, as well as the release of lactic acid, a degradation product of PLA. The polymer with the highest concentration of breaking points, 15%, broke down completely to lactic acid after two weeks. Polymers with lower concentrations took longer, and some could require as much as several years, they calculated. These results showed

that the degradation rate can be tailored, depending on the amount of breaking points in the material. The potential applications aren't limited to PLA, according to the researchers. Adding breaking points may speed the decomposition of other plastic polymers and become a key strategy for preventing further marine pollution, they write.

More information: Timo Rheinberger et al, RNA-Inspired and Accelerated Degradation of Polylactide in Seawater, *Journal of the American Chemical Society* (2021). [DOI: 10.1021/jacs.1c07508](https://doi.org/10.1021/jacs.1c07508)

Provided by American Chemical Society

Citation: Reducing plastic pollution by adding RNA-inspired 'breaking points' (2021, October 20) retrieved 28 June 2024 from <https://phys.org/news/2021-10-plastic-pollution-adding-rna-inspired.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.