

## A reef in two gears: New patterns of coral recovery discovered

October 28 2021



A young coral colony (Acropora recruit) on the surface of a reef on the Great Barrier Reef. Credit: AIMS

Damaged coral reefs show slower than expected recovery for up to six years before switching to a faster phase of regrowth, according to new research.

This "two-phase" recovery pattern was observed in 60 percent of



severely disturbed reefs on the Great Barrier Reef.

The modeling research, involving scientists from Queensland University of Technology (QUT) and the Australian Institute of Marine Sciences (AIMS), pinpoints patterns of reef recovery amid disturbances including storms, marine heatwaves, and crown-of-thorns starfish.

The researchers mapped the presence of the "two-phase pattern" in reef recovery based on AIMS long term monitoring data by modifying data analysis methods used in cancer cell biology.

The findings have been published today in the *Journal of Applied Ecology*.

Lead researcher, Dr. David Warne, from QUT's Centre for Data Science, said it was a "serendipitous moment in science" that brought together the team involving mathematicians, statisticians, and marine ecologists.

Dr. Warne said the connection between reef research and cancer research stemmed from a seminar at the ARC Centre of Excellence for Mathematical and Statistical Frontiers (ACEMS) with AIMS senior scientist Dr. Juan Ortiz, providing insights into growth patterns of Tabular Acropora.

"The actual growth dynamics of individual coral colonies is vastly different to cancer cells, but the net population level behavior can be remarkably similar," Dr. Warne said.

Dr. Warne said the results of the research provided critical information for the management of the GBR as it identified reefs in need of help, in the same way doctors triage patients to prioritize treatment.



"There was a working assumption that main driver of <u>reef</u> recovery was competition for space, but these results suggest that corals colonies may be growing at lower rates for three to four years after major disturbances," he said.

The researchers also found the two-phase recovery pattern was present in 50-60 percent of the monitored sites that had experienced at least one major disturbance over the past 30 years.

Dr. Ortiz said the research provided detailed insights into the coral growth currently being observed in the field on the Great Barrier Reef.

"It's like starting your car in the wrong gear, you move really slowly until the engine catches up and then you move normally," Dr. Ortiz said.

"Since 2009, the GBR has been hit hard with mass bleaching events, cyclones, and crown-of-thorns starfish outbreaks, reducing coral cover.

"After a window of reprieve from disturbances, AIMS' Long-Term Monitoring team has recently observed strong increases in coral cover.

"We can see those reefs which have experienced rapid increases are now in the second, faster <u>recovery</u> phase."

Dr. Warne said the research emphasized the importance of future studies to understand mechanisms driving the two-phase patterns of <u>coral</u> growth.

The research team involved AIMS' Dr. Ortiz, Kerryn Crossman, Kate Osbourne and Angus Thompson, Wang Jin from the University of NSW as well as QUT's Dr. Warne, Distinguished Professor Kerrie Mengersen, Professor Matthew Simpson, and Dr. Paul Wu, who are also members of ACEMS.



**More information:** David J. Warne et al, Identification of two-phase recovery for interpretation of coral reef monitoring data, *Journal of Applied Ecology* (2021). DOI: 10.1111/1365-2664.14039

## Provided by Queensland University of Technology

Citation: A reef in two gears: New patterns of coral recovery discovered (2021, October 28) retrieved 15 August 2024 from <u>https://phys.org/news/2021-10-reef-gears-patterns-coral-recovery.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.