


Finding sterile neutrinos

October 12 2021



The BeEST experimental program, short for "Beryllium Electron-capture with Superconducting Tunnel junctions," is utilizing complete momentum reconstruction of nuclear electron-capture decay in radioactive beryllium-7 atoms to search for these elusive new "ghost particles.". Credit: Spencer Fretwell, Colorado School of Mines

Experiments have spotted anomalies hinting at a new type of neutrino, one that would go beyond the standard model of particle physics and perhaps open a portal to the dark sector. But no one has ever directly observed this hypothetical particle.

Now a quantum dark matter detector and a proposed particle accelerator dreamt up by machine learning are poised to prove whether the sterile neutrino exists.


The IsoDAR cyclotron would deliver ten times more beam current than

any existing machine, according to the team at MIT that designed it. Taking up only a small underground footprint, the cyclotron may give definitive signs of sterile [neutrinos](#) within five years.

At the same time, that intense beam could solve a major problem in cancer treatment: producing enough radioactive isotopes for killing cancerous cells and scanning tumors. The beam could produce high quantities of medical isotopes and even let hospitals and smaller laboratories make their own.

"There is a [direct connection](#) between the technology that can be used to understand our universe, and the technology which can be used to save people's lives," said Loyd Waites, an MIT Ph.D. candidate who will discuss the plans at the 2021 Fall Meeting of the APS Division of Nuclear Physics.

Of the existing sterile neutrino hunters, one of the most powerful in the world possesses a single detector. The BeEST (pronounced "beast") may sound like a behemoth, but the experiment uses one quantum sensor to measure nuclear recoils from the "kick" of a neutrino.



A picture of the ion source used by the IsoDAR cyclotron team, which shows the ion beam glowing inside their device. Credit: IsoDAR collaboration

This clean method searches for the mysterious particle without the added hurdle of looking for its interactions with normal matter. Just one month of testing yielded a new benchmark that covers a wide mass range—applicable to much bigger sterile neutrino experiments like KATRIN.

"This initial work already excludes the existence of this type of sterile neutrino up to 10 times better than all previous decay experiments," said Kyle Leach, an associate professor at the Colorado School of Mines, who presents the first round of results (recently reported in *Physical Review Letters*) at the meeting.

The BeEST, a collaboration of 30 scientists from 10 institutions in North America and Europe, is also the first project to successfully use beryllium-7, regarded as the ideal atomic nucleus for the [sterile neutrino](#) hunt. Next up: scaling the BeEST setup to many more sensors, using new superconducting materials.

More information: S. Friedrich et al, Limits on the Existence of sub-MeV Sterile Neutrinos from the Decay of Be7 in Superconducting Quantum Sensors, *Physical Review Letters* (2021). [DOI: 10.1103/PhysRevLett.126.021803](https://doi.org/10.1103/PhysRevLett.126.021803)

Loyd H. Waites et al, What is the potential impact of the IsoDAR cyclotron on radioisotope production: a review, *EJNMMI Radiopharmacy and Chemistry* (2020). [DOI: 10.1186/s41181-020-0090-3](https://doi.org/10.1186/s41181-020-0090-3)

Provided by American Physical Society

Citation: Finding sterile neutrinos (2021, October 12) retrieved 20 April 2024 from
<https://phys.org/news/2021-10-sterile-neutrinos.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--