

Urban wastes used as fertilizers contain higher PFAS than livestock manure

October 20 2021



Credit: Pixabay/CC0 Public Domain

Because of their useful surfactant properties, per- and polyfluoroalkyl substances (PFAS) have been massively produced for non-stick coatings, water-repellant fabrics and firefighting foams. However, scientists have detected these highly stable "forever chemicals" throughout the

environment, prompting toxicity concerns. Now, researchers reporting in *ACS' Environmental Science & Technology* have characterized PFAS in contemporary and historical organic waste products applied to agricultural fields in France, finding the highest amounts in urban samples, with compounds changing over time.

Although production of the most concerning PFAS has been banned or voluntarily phased out in many countries, the [compounds](#) linger in the environment. Also, they have been replaced with other PFAS that have uncertain environmental and health effects. Humans and livestock could ingest PFAS and excrete them in their [waste](#), and the compounds could leach into wastewater. In addition, when wastes are applied to agriculture fields as fertilizer, PFAS could contaminate groundwater and bio-accumulate in [food crops](#). Sébastien Sauvé with colleagues from France's National Research Institute for Agriculture, Food and Environment wanted to comprehensively characterize multiple classes of PFAS in contemporary and historical organic waste products — including livestock manures, urban sewage sludges and composts, and industrial wastes — applied to French agricultural lands.

The researchers selected 47 samples of organic waste products intended for field application, collected in France from 1976 to 2018. They analyzed the samples for known and previously uncharacterized PFAS by high-resolution mass spectrometry. Over 90% of the samples contained at least one PFAS, with up to 113 compounds detected in a single sample. The team detected fewer and lower levels of PFAS in livestock manures than in wastes of urban origin. In the urban wastes, they detected high levels of PFAS compounds that are not commonly monitored, suggesting that previous studies underestimated total PFAS levels. Historical urban samples contained higher levels of phased-out PFAS, whereas contemporary samples were dominated by compounds called fluorotelomers, which could degrade to more persistent PFAS in the environment, the researchers say.

More information: Target and Nontarget Screening of PFAS in Biosolids, Composts, and Other Organic Waste Products for Land Application in France, *Environmental Science & Technology* (2021). pubs.acs.org/doi/abs/10.1021/acs.est.1c03697

Provided by American Chemical Society

Citation: Urban wastes used as fertilizers contain higher PFAS than livestock manure (2021, October 20) retrieved 20 April 2024 from <https://phys.org/news/2021-10-urban-fertilizers-higher-pfas-livestock.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.