


Combining pressure, electrochemistry to synthesize superhydrides

November 15 2021



Results of ground-state structure search for (A) PdH at 0 GPa, (B) PdH at 150 GPa, (C) Pd₃H₄ at 0 GPa, (D) Pd₃H₄ at 150 GPa, (E) PdH₈ at 0 GPa, (F) PdH₁₀ at 0 GPa, (G) PdH₁₂ at 0 GPa, and (H) PdH₁₂ at 150 GPa. The gray balls represent Pd atoms, and the pink balls represent H atoms. The space groups of the corresponding structures are indicated in parentheses. Credit: Pin-Wen Guan, Russell J. Hemley, and Venkatasubramanian Viswanathan

A new study featured in *Proceedings of the National Academy of Sciences* offers a potential alternate approach that combines pressure and electrochemistry to stabilize superhydrides at moderate, perhaps even close to ordinary, pressures. Superhydrides are a materials system where temperature superconductivity has been achieved, but only at very high pressures.

University of Illinois Chicago's Russell Hemley and researchers from Carnegie Mellon University performed quantum mechanical simulations of superhydrides over a broad range of [pressure](#) as well as electrical potentials as found in an electrochemical cell.

The results showed that under an [electrical potential](#) a number of these materials, including high-temperature superconducting superhydrides, could be stable at much lower pressures.

Using a thermodynamic analysis, they constructed pressure–potential phase diagrams that provide an alternate synthesis approach to access phases having high hydrogen content.

Their strategy suggests the possibility of making palladium superhydrides, a widely studied material system, and a general concept for synthesizing other hydrides at modest pressures.

This approach opens more opportunities for the creation of superhydrides and other materials by combining pressure and electrochemical loading techniques, according to Hemley, UIC professor of physics and chemistry and LAS Distinguished Chair in the Natural Sciences in the College of Liberal Arts and Sciences.

The findings could have implications and uses within consumer and industrial sectors.

"Numerous extensions of existing electrochemical and high-pressure techniques could lead to altogether different materials created under an even broader range of pressures. This proof-of-concept work should serve to explore the frontier of [high-pressure](#) electrochemistry to produce exciting materials with broad applications," the study stated.

More information: Pin-Wen Guan et al, Combining pressure and electrochemistry to synthesize superhydrides, *Proceedings of the National Academy of Sciences* (2021). [DOI: 10.1073/pnas.2110470118](https://doi.org/10.1073/pnas.2110470118)

Data and calculations: github.com/BattModels/P2

Provided by University of Illinois at Chicago

Citation: Combining pressure, electrochemistry to synthesize superhydrides (2021, November 15) retrieved 3 May 2024 from <https://phys.org/news/2021-11-combining-pressure-electrochemistry-superhydrides.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
