

# Forests could be key to estuarine fish conservation

November 4 2021

---



Mukawa estuary, Hokkaido, one of the 22 estuaries sampled for the study.  
Credit: Akihide Kasai

Estuaries—areas where rivers meet the sea—are one of the most vulnerable ecosystems. They face anthropogenic threats, including biodiversity loss and the collapse of natural fisheries. Determining the factors contributing to the maintenance of estuarine biodiversity, especially that of fish, is vital for promoting estuarine conservation and


sustainable fisheries.

A team of scientists from Japan determined that the amount of [forest](#) and farmland surrounding rivers as they flow into the open sea impacts the number of threatened [fish species](#) in Japan's estuaries. The finding, published in the journal *Conservation Biology*, could help improve estuary conservation and improve understanding of how to best develop and maintain sustainable coastal fisheries. Involved in the study were Dr. Edouard Lavergne and Professor Yoh Yamashita from Kyoto University, and Professor Akihide Kasai from Hokkaido University.

"Understanding how human activities on land affect estuarine and coastal ecosystems through rivers has been a daunting task. This is because many environmental and socioeconomic factors act in complex ways to influence estuarine fish diversity as rivers flow into the [open ocean](#)," says Yamashita, a co-PI of the research team. "By collecting [big data](#) on environmental, social, and land use factors and integrating it with the results of environmental DNA analysis, we are the first in the world to verify the general relationship between forests and estuarine fish diversity over a wide area," adds Kasai, another co-PI.

The team used a method called environmental DNA metabarcoding, the simultaneous identification of taxa present in a complex environmental sample. They analyzed [water samples](#), taken from 22 locations around Japan where rivers flow into the sea, and looked for fish DNA. This fast and non-invasive approach is highly effective for assessing biodiversity in aquatic ecosystems. Using it, the scientists identified 186 different fish species, including 49 that are on Japan's red list of species facing varying degrees of threat.

The team also acquired data on [water temperature](#) and salinity, river discharge, dissolved oxygen, pH, total nitrogen, and suspended solids.



Map of estuaries in Japan from which water samples were collected. The size of the circles is proportional to the number of fish species on the Japanese Red Lists detected at each site. Numbers are rivers: 1, Mukawa; 2, Mabechi; 3, Naruse; 4, Naka; 5, Fuji; 6, Yahagi; 7, Miyagawa; 8, Yamato; 9, Asahi; 10, Niyodo; 11, Hijikawa; 12, Onogawa; 13, Oyodo; 14, Sendai; 15, Kuma; 16, Chikugo; 17, Takatsu; 18, Hino; 19, Kuzuryu; 20, Arakawa; 21, Akagawa; 22, Yoneshiro (Edouard Lavergne, et al. Conservation Biology. October 20, 2021).

Credit: Edouard Lavergne, et al., *Conservation Biology*

Finally, they assessed watershed-scale land-use factors, how many people live in each watershed, and how artificialized the coastline surrounding the estuary and the riverbanks.

The team's statistical analyses showed that red-listed fish species were richer in estuaries that were surrounded by higher forest cover. But [fish](#) did worse in those waters surrounded by more agricultural land.

"Forests appear to play a more vital role in the conservation of fishes at-risk than originally thought," says Kasai.

The researchers think this could be because forests retain water, thus protecting estuarine ecosystems from flooding and strong run-off after heavy rain. They also prevent land erosion and runoff of fine sediments that have serious harmful effects on aquatic ecosystems. Agricultural land, however, can release fine sediments and pesticides into aquatic systems.

The team says further research is needed to investigate how different types of forest cover, such as natural unmaintained or planted forests, affect these fragile [ecosystems](#).

**More information:** Lavergne Edouard et al, Effects of forest cover on richness of threatened fish species in Japan, *Conservation Biology* (2021). [DOI: 10.1111/cobi.13849](https://doi.org/10.1111/cobi.13849)

Provided by Hokkaido University

Citation: Forests could be key to estuarine fish conservation (2021, November 4) retrieved 15 June 2024 from <https://phys.org/news/2021-11-forests-key-estuarine-fish.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.