

A fungus that uses chemicals to trick male flies into mating with infected dead females

November 5 2021, by Bob Yirka




Fig. 1| Male house fly mating attempts towards *E. muscae* cadavers. a, Healthy male house fly attempting to mate with *E. muscae* sporulating cadaver. Fungal growth is seen as white bands (conidiophores with conidia) extruding from the

abdomen of the dead female. The actively discharged conidia are covering large parts of the wings and body of the female cadaver and also create a halo of conidia around the cadaver (Photo: Filippo Castelucci). b, Male mating attempts towards uninfected freeze-killed (-Em) or infected (+Em) *E. muscae*-killed cadavers in early (3-8 hours post death) and late (26-28 hours post death) sporulation stages (n = 15 per treatment). c, Total mating attempts by a male towards either cadaver when given a choice between two female cadavers that both were either uninfected (-Em, -Em), one uninfected and one infected in early sporulation stage (-Em, +Em), or one uninfected and one infected in late sporulation stage (-Em, +Em) (n = 9-19 per treatment). Credit: DOI: 10.1101/2021.10.21.465334

A combined team of researchers from the University of Copenhagen and the Swedish University of Agricultural Sciences reports that a certain fungus uses chemicals to trick male flies into mating with infected dead females. They have written a paper describing their findings and have posted it on the bioXiv preprint server.

Prior research has shown that some types of fungus can give insect victims what has become known as [summit](#) disease, in which a victim's nervous system is infected and the unwilling creature begins climbing to the highest vantage point possible. Once there, the wings are spread wide and the victim begins spewing spores. In this new effort, the researchers have found a fungus that takes summit disease one step further by having its [female victims](#) also emit chemicals that sexually attract males.

In studying the fungus *Entomophthora muscae*, the researchers found that it was capable of infecting other insects, primarily house flies, with summit disease. Airborne spores land on a female victim and penetrate her skin. Soon, they invade her entire body, including her nervous system and brain. Chemicals produced by the spores incite the female to begin climbing until she reaches the highest possible point, such as a leaf

on a tree. Then, she opens her wings and dies. Meanwhile, the fungus covers her body with little spore-filled cannons. At some point, a male happens by, and when he touches her body, the cannons fire, filling the air with [spores](#), ready to infect others in the vicinity.

In their lab, the researchers captured a host of infected and non-infected flies. Males were given a choice of mating with either an infected or non-infected female, and more often than not, chose the one that was infected. This suggested that the [fungus](#) was doing something to make the infected female more attractive to the male even though she was dead. In studying the dead females, the researchers found instances of unusual volatile compounds, including some chemicals called sesquiterpenes, which are not normally associated with house flies but have been found to sexually attract many types of insects, including house flies.

More information: Andreas Naundrup et al, A pathogenic fungus uses volatiles to entice male flies into fatal matings with infected female cadavers, *bioRxiv* (2021). [DOI: 10.1101/2021.10.21.465334](https://doi.org/10.1101/2021.10.21.465334)

© 2021 Science X Network

Citation: A fungus that uses chemicals to trick male flies into mating with infected dead females (2021, November 5) retrieved 8 February 2023 from <https://phys.org/news/2021-11-fungus-chemicals-male-flies-infected.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.