


## Hurricanes expected to linger over Northeast cities, causing greater damage

November 22 2021





Hurricane Sandy over the Carolinas. Credit: NASA Goddard

By the late 21st century, northeastern U.S. cities will see worsening hurricane outcomes, with storms arriving more quickly but slowing down



once they've made landfall. As storms linger longer over the East Coast, they will cause greater damage along the heavily populated corridor, according to a new study.

In the new study, climate scientist Andra Garner at Rowan University analyzed more than 35,000 computer-simulated storms. To assess likely storm outcomes in the future, Garner and her collaborators compared where storms formed, how fast they moved and where they ended from the pre-industrial period through the end of the 21st century.

The researchers found that future East Coast hurricanes will likely cause greater damage than storms of the past. The research predicted that a greater number of future hurricanes will form near the East Coast, and those storms will reach the Northeast corridor more quickly. The simulated storms slow to a crawl as they approach the East Coast, allowing them to produce more wind, rain, floods, and related damage in the Northeast region. The longest-lived <u>tropical storms</u> are predicted to be twice as long as storms today.

The study was published in *Earth's Future*, which publishes interdisciplinary research on the past, present and future of our planet and its inhabitants.

The changes in storm speed will be driven by changes in atmospheric patterns over the Atlantic, prompted by warmer air temperatures. While Garner and her colleagues note that more research remains to be done to fully understand the relationship between a warming climate and changing storm tracks, they noted that potential northward shifts in the region where Northern and Southern Hemisphere trade winds meet or slowing environmental wind speeds could be to blame.

"When you think of a <u>hurricane</u> moving along the East Coast, there are larger scale wind patterns that generally help push them back out to sea,"



Garner said. "We see those winds slowing down over time." Without those winds, the hurricanes can overstay their welcome on the coast.

Garner, whose previous work focused on the devastating East Coast effects of storms like Hurricane Sandy, particularly in the Mid-Atlantic, said the concern raised by the new study is that more storms capable of producing damage levels similar to Sandy are likely.

And the longer storms linger, the worse they can be, she said.

"Think of Hurricane Harvey in 2017 sitting over Texas, and Hurricane Dorian in 2019 over the Bahamas," she said. "That prolonged exposure can worsen the impacts."

From 2010 to 2020, U.S. coastlines were hit by 19 tropical cyclones that qualified as billion-dollar disasters, generating approximately \$480 billion in damages, adjusted for inflation. If storms sit over coasts for longer stretches, that economic damage is likely to increase as well. For the authors, that provides clear economic motivation to stem rising greenhouse gas emissions.

"The work produced yet more evidence of a dire need to cut emissions of greenhouse gasses now to stop the climate warming," Garner said.

Co-author Benjamin Horton, who specializes in <u>sea-level rise</u> and leads the Earth Observatory of Singapore at Nanyang Technological University, said, "This study suggests that climate change will play a long-term role in increasing the strength of storms along the east coast of the United States and elsewhere. Planning for how to mitigate the impact of major storms must take this into account."

**More information:** Andra J. Garner et al, Evolving Tropical Cyclone Tracks in the North Atlantic in a Warming Climate, *Earth's Future* 



(2021). DOI: 10.1029/2021EF002326

## Provided by American Geophysical Union

Citation: Hurricanes expected to linger over Northeast cities, causing greater damage (2021, November 22) retrieved 18 April 2024 from <a href="https://phys.org/news/2021-11-hurricanes-linger-northeast-cities-greater.html">https://phys.org/news/2021-11-hurricanes-linger-northeast-cities-greater.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.