

# Monkeys go fishing to survive harsh Japanese winters

November 29 2021

---



Snow monkey (Japanese macaque *Macaca fuscata*). Credit: Prof. Alexander Milner

Snow monkeys living in one of the world's coldest regions survive by 'going fishing' – scooping live animals, including brown trout, out of

Japanese rivers and eating them to stay alive, a new study reveals.

The snow monkey (Japanese [macaque](#) *Macaca fuscata*) is native to the main islands of Japan, except Hokkaido. The most northerly living non-human primate find that [snow cover](#) limits the availability of their preferred foods in the Kamikochi area of Chubu Sangaku National Park of the Japanese Alps.

With favorite foods difficult to find, the snow monkeys run low on energy and face death by starvation, but groundwater-fed streams flow during the [winter](#) with a constant water temperature of about 5 degrees Celsius and are easily accessible for Japanese macaques to search for alternative live food.

Led by University of Birmingham experts, the international research team published its findings today in *Scientific Reports*—the first published scientific paper of Japanese macaques definitively eating freshwater animals in streams, including [brown trout](#).

Previously, Japanese macaques have been shown to opportunistically capture marine fish, either when being dried or washed up on beaches, whilst closely-related species have been shown to feed on freshwater fish.

Researchers found brown trout in Japanese macaques' fecal samples and believe that macaques capture brown trout in shallow pools along the stream margin.

Using metabarcoding of fecal samples to determine the monkeys' wintertime diet, the experts discovered that the animals also feed on riverine insects and molluscs—additional food sources which are likely to aid their winter survival.

Alexander Milner, Professor of River Ecosystems at the University of Birmingham who led the study, commented: "Japanese macaques have a wider winter home range when food resources are scarce, but Kamikochi lies in a deep valley where they cannot cross the mountains. Population density is exceptionally high and macaques must overwinter in an extremely harsh environment.

"These larger populations create additional stress for surviving winter, but an abundance of groundwater upwellings and hot spring inputs from active volcanoes ensures many streams flow without ice cover allowing easy access to the monkeys.

"With high numbers of freshwater animals in its rivers and streams, the Kamikochi area may be the only environment in Japan where the topographical, geological, and meteorological conditions allow Japanese macaques to supplement their winter diet in this way."

Researchers also found evidence of freshwater insects in macaques' fecal samples, including aquatic insect larvae and nymphs. Although terrestrial insects are a major source of [food](#) for Japanese macaques, especially in summer, this is the first confirmed record of aquatic insect larvae and nymphs in their diet.

"Winter diet of Japanese macaques from Chubu Sangaku National Park, Japan incorporates freshwater biota" is published by *Scientific Reports*.

**More information:** Alexander M. Milner et al, Winter diet of Japanese macaques from Chubu Sangaku National Park, Japan incorporates freshwater biota, *Scientific Reports* (2021). [DOI: 10.1038/s41598-021-01972-2](https://doi.org/10.1038/s41598-021-01972-2)

Provided by University of Birmingham

Citation: Monkeys go fishing to survive harsh Japanese winters (2021, November 29) retrieved 26 April 2024 from <https://phys.org/news/2021-11-monkeys-fishing-survive-harsh-japanese.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.