


# New nanocomposite improves solar evaporation for water purification

November 9 2021, by Li Yuan



Amorphous inorganic hollow multishelled structure has been adopted for efficient drinkable water collection. Credit: Yang Nailiang

Global drinking water scarcity is a severe problem for humans. Water purification consumes a large amount of fossil energy and generates secondary pollution.

Solar-thermal interfacial evaporation has been considered the most promising strategy for addressing this problem. However, developing an optimized material featuring both efficient solar-vapor conversion and good environmental tolerance still remains challenging.

Researchers from the Institute of Process Engineering (IPE) of the Chinese Academy of Sciences have developed an ultra-stable amorphous  $\text{Ta}_2\text{O}_5/\text{C}$  nanocomposite with a hollow multishelled structure (HoMS) for solar evaporation, which can improve the efficiency of [water purification](#).

The study was published in *Advanced Materials* on Oct. 29.

"The precise atomic and composition control in the building block of HoMS realizes an indirect bandgap structure with abundant energy states around the Fermi level, which enhances nonradiative relaxation to facilitate photothermal conversion," said Prof. Wang Dan, the corresponding author of the study, "The unique hollow multishelled structure can efficiently enhance light absorption like a blackbody."

HoMS decreases the energy required for [water](#) evaporation. Simulation results show that HoMS establishes a thermal field gradient, thus providing the driving force for vapor evaporation.

"HoMS also benefits [water transport](#)," said Wang, "The confined cavities in HoMS promote liquid water diffusion owing to the capillary pumping effect, and the nanopores in HoMS induce water molecules to evaporate in the form of clusters, thus enabling evaporation with less enthalpy."

With highly efficient photoabsorption and photothermal conversion, a super-fast evaporation speed of  $4.02 \text{ kg m}^{-2}\text{h}^{-1}$  has been achieved. The evaporation speed barely changed after 30 days, and with no salt accumulation, indicating a long-term stability.

Notably, the concentration of pseudovirus SC2-P could be decreased by six orders of magnitude after evaporation.

This amorphous  $\text{Ta}_2\text{O}_5/\text{C}$  composite is readily fabricated, carried, stored, and recycled. It can be applied to the purification of seawater, or to [heavy metal](#)- or bacteria-containing water, obtaining drinkable water that meets the standard of the World Health Organization.

The scientists from IPE are preparing a prototype of seawater desalination for the residents on isolated islands.

**More information:** Xuanbo Chen et al, Highly Efficient Photothermal Conversion and Water Transport During Solar Evaporation Enabled by Amorphous Hollow Multishelled Nanocomposites, *Advanced Materials* (2021). [DOI: 10.1002/adma.202107400](https://doi.org/10.1002/adma.202107400)

Provided by Chinese Academy of Sciences

Citation: New nanocomposite improves solar evaporation for water purification (2021, November 9) retrieved 3 May 2024 from <https://phys.org/news/2021-11-nanocomposite-solar-evaporation-purification.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.