

Turning plastic grocery bags into sustainable fuel

November 4 2021



Pyrolysis oil produced from grocery bags. Credit: Baron Boghosian

More than 300 million tons of plastic waste are produced annually, which causes serious environmental issues because of plastic's life cycle and the difficulty of eliminating it.

Consequently, most plastic [waste](#) ends up in either a landfill or the ocean. A significant number of plastics break down into microplastics,

which are ingested by fish and other marine life causing havoc to marine ecosystems.

In the *Journal of Renewable and Sustainable Energy*, researchers from California State Polytechnic University report using catalytic pyrolysis to turn plastic wastes into a valuable fuel source. Pyrolysis is the thermochemical decomposition of carbon-based matter in the absence of oxygen.

Researchers focused on recycling plastic and upgrading plastic into other products or converting it to a vapor with heat, which met a catalyst and turned into the desired fuel-like product. This pyrolytic process transforms primary organic waste into a sustainable fuel or other valuable chemical.

"The innovative part of the experiment is the catalyst," said author Mingheng Li. "The catalyst is critical to this particular pyrolysis process, because it only requires one step to get to the desired fuel product at relatively mild temperatures."

The catalyst was prepared by dipping a zeolite substrate in an [aqueous solution](#) containing nickel and tungsten and drying it in an oven at 500 degrees Celsius. The synthesized catalyst was used in conjunction with a lab-designed, single-stage pyrolytic reactor, which ran at a set point of 360C to break down a mixture of plastic grocery bags.

The catalytic process used in this experiment on [plastic waste](#) could also be used to process other wastes, such as manure, [municipal solid waste](#), and used engine oil, to make usable energy products.

"This pyrolysis process serves as a definitive step in reducing reliance on fossil-based fuels," said Li.

The researchers found the pyrolysis product was very similar to a standard diesel fuel product via gas chromatographic analysis, a type of chromatography used in analytical chemistry for separating and analyzing compounds that can be vaporized without decomposition.

Going forward, the team will work to explain the cracking mechanism that occurs on the surface of the [catalyst](#). In addition, they will try to optimize diesel fuel production from various mixed [plastic](#) wastes.

More information: Michael Arnold et al, Catalytic production of diesel-like oils from plastic wastes, *Journal of Renewable and Sustainable Energy* (2021). [DOI: 10.1063/5.0066218](https://doi.org/10.1063/5.0066218)

Provided by American Institute of Physics

Citation: Turning plastic grocery bags into sustainable fuel (2021, November 4) retrieved 30 March 2023 from <https://phys.org/news/2021-11-plastic-grocery-bags-sustainable-fuel.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.