

The wild cocoons of a new species of Japanese parasitoid wasp

November 30 2021



The star-shaped cocoon mass and the cable of the new parasitoid wasps. Credit: Shimizu S

A unique "star" was discovered from the Ryukyu Islands, a biodiversity hot spot in subtropical Japan: a star-shaped structure that turned out to be



the cocoon mass of a new species of parasitoid wasp. Researchers Shunpei Fujie (Osaka Museum of Natural History), So Shimizu, Kaoru Maeto (Kobe University), Koichi Tone (Okinawa Municipal Museum), and Kazunori Matsuo (Kyushu University) described this parasitoid wasp as a new species in the open-access *Journal of Hymenoptera Research*.

Parasitoid <u>wasps</u> parasitize a variety of organisms, mostly insects. They lay eggs in the host, a larva of hawk moth in this case, where the wasp larvae later hatch. After eating the host from the inside out, the larvae spin threads to form cocoons, in which they pupate, and from which the adult wasps eventually emerge.

Larvae of the newly discovered parasitoid wasp form star-shaped masses of cocoons lined up in a spherical pattern, suspended by a thread that can reach up to 1 meter in length. The <u>structure</u>, 7 to 14 mm wide and 9 to 23 mm long, can accommodate over 100 cocoons.

Despite its peculiarity, the wasp species constructing these masses had not been previously described: morphological observation and molecular analysis revealed that it was new to science. The authors aptly called it Meteorus stellatus, adding the Latin word for "starry" to its scientific name.

Thanks to the recent publication, we now have the first detailed report about the construction of such a remarkable cocoon mass in parasitoid wasps. We can also see what the process looks like, as the researchers were able to film the wasps escaping from the moth larvae and forming the star-shaped structure.





The new parasitoid wasps, Meteorus stellatus. Credit: Fujie S. Credit: Pensoft Publishers





The larvae of Meteorus stellatus emerging from a host moth. Credit: Tone K

Why does M. stellatus form cocoons in such a unique structure?

The authors of the study believe this unique structure helps the wasps survive through the most critical time, i.e. the period of constructing cocoons and pupating, when they are exposed to various natural enemies and environmental stresses. The star shape most likely reduces the exposed area of individual cocoons, thus increasing their defense against hyper-parasitoids (wasps attacking cocoons of other parasitoid wasps), while the long thread that suspends the <u>cocoon</u> mass protects the cocoons from potential enemies like ants.

"How <u>parasitoid wasps</u> have evolved to form such unique masses instead of the common individual cocoons should be the next thing on our 'toresearch' list," say the authors.



More information: Shunpei Fujie et al, Stars in subtropical Japan: a new gregarious Meteorus species (Hymenoptera, Braconidae, Euphorinae) constructs enigmatic star-shaped pendulous communal cocoons, *Journal of Hymenoptera Research* (2021). DOI: 10.3897/jhr.86.71225

Provided by Pensoft Publishers

Citation: The wild cocoons of a new species of Japanese parasitoid wasp (2021, November 30) retrieved 27 April 2024 from <u>https://phys.org/news/2021-11-wild-cocoons-species-japanese-parasitoid.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.