

Octopus, crabs and lobsters feel pain: How we found out

December 17 2021, by Alexandra Schnell, Andrew Crump, Jonathan Birch



Credit: Pixabay, CC BY-SA 4.0

Does a lobster feel pain when you pop it in a pot? The UK government asked us to find out.

We were commissioned to find out the likelihood of <u>sentience</u>—the capacity to have feelings, such as pain and pleasure—in two groups of invertebrate <u>animals</u>: the cephalopod molluscs (including octopuses,



cuttlefishes and squids) and <u>decapod crustaceans</u> (including lobsters, crabs and prawns). We found strong and diverse evidence of sentience in both. And <u>our recent report</u>, which reviewed over 300 scientific studies, led to the <u>UK government's decision</u> to legally recognize all of these animals as sentient beings.

You may wonder how we find out if an animal can feel pain. It's tempting to think we only need to look at whether they try to avoid or escape being injured. However, after touching a hot stove, humans withdraw their hand before feeling the burn. Hand withdrawal is an <u>unconscious reflex</u>. Perhaps other animals only respond reflexively to injury, without experiencing pain.

For our investigation, we used eight scientific criteria for determining sentience.

The first four addressed whether the animal's nervous system could support sentience. We wanted to find out whether it can detect harmful stimuli and transmit those signals to the brain. And also whether the signals were processed in integrative brain regions—parts of the brain that bring together information from many sources. Finally, it was important to understand whether anesthetic or painkillers changed the nervous system response.

Our four remaining criteria focused on the animal's behavior. Could they trade-off risks of injury against opportunities for a reward? Did individuals tend to the specific site of an injury, and could they learn to avoid stimuli associated with injury, for example? We also investigated whether they valued anesthetics or painkillers when injured. This behavior, which distinguishes rigid and reflex reactions to injury, such as withdrawing a burnt hand, from flexible responses, is taken to be evidence of pain.



Individually, none of our criteria proves that a creature is sentient. But the more criteria it meets, the more likely sentience becomes.

Signs of feeling

We found the strongest evidence for sentience in cephalopods. Octopuses were the stars. With around 170 million <u>brain cells</u>, they have <u>higher brain-to-body ratios</u> than most reptiles and fish. This allows octopuses to perform remarkable feats of learning and memory.



Crabs capacity to feel pain has implications for animal welfare. Credit: RODNAE Productions/Pexels, CC BY



Octopuses also behave in ways that point strongly to experiences of pain. For example, in a recent study, they were given <u>three chambers to</u> <u>explore</u>. Injection with acetic acid in their initially preferred chamber led to octopuses avoiding that chamber from then on. Injured octopuses learned to prefer an alternative chamber, where local anesthetic was available. This anesthetic silenced nerve activity between the injury site and the brain. <u>Similar findings in mammals</u> are taken to indicate the subjective experience of pain.

Decapods also displayed compelling signs of sentience. For instance, one <u>high-profile study</u> allowed crayfish to explore a cross-shaped tank. Two arms of the cross were illuminated, whereas the other two were shaded. In the wild, crayfish use dark shelters to hide from predators, so time spent in the shaded arms was taken to measure anxiety-like behavior. Exposure to an <u>electric field</u> caused crayfish to avoid the light arms. Administering an anti-anxiety drug reversed the effect. These findings reveal that crayfish have <u>mental states</u> with similar brain mechanisms and behavior to anxiety.

Despite striking evidence for sentience in some well-studied species, there are 750 cephalopod species and 15,000 decapod species—more than double the total number of mammal species. Most individual species have never been studied in detail.

But sentience has never been studied in most individual vertebrate species either. With vertebrates, it is usually accepted that we can make reasonable generalizations from laboratory species—such as rats and zebrafish—to other species.

Invertebrates should be treated in the same way as vertebrates. That means protecting under-studied animals if it is reasonable to generalize from strong evidence in a better-studied <u>species</u>. This principle led us to recommend extending protection to all cephalopod molluscs and all



decapod crustaceans.

Implications for welfare

Recognizing these animals as sentient is undoubtedly a step forward for <u>UK animal welfare law</u>, which currently applies almost exclusively to vertebrates. Some other countries, such as New Zealand, Norway and Sweden, have already given <u>invertebrates legal protection</u>. These cover issues such as the storage and slaughter of decapods in the food industry.

But in the UK, current industry practices will not be affected as the new bill does not apply to existing law. That means that procedures like boiling lobsters, asphyxiating octopuses and dismembering crabs will still continue.

We hope our report begins a wider conversation about how these animals can be treated humanely so we can minimize their <u>pain</u> and suffering. Many techniques, such as electrical stunning and rapid slaughter, are already informally considered best practice. Encouraging and enforcing best practice could <u>protect producers</u> against the erosion of standards, and reassure consumers that their expectations of high welfare standards are being met.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Octopus, crabs and lobsters feel pain: How we found out (2021, December 17) retrieved 3 May 2024 from <u>https://phys.org/news/2021-12-octopus-crabs-lobsters-pain.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.