

# Scientists synthesize hafnium-based, vacancy-ordered perovskite nanocrystals by hot injection method

December 17 2021, by Li Yuan

---



Credit: Pixabay/CC0 Public Domain

Lead-free vacancy-ordered perovskite  $\text{Cs}_2\text{M}^{4+}\text{X}_6$  ( $\text{X}=\text{Cl}^-$ ,  $\text{Br}^-$  or  $\text{I}^-$ ) nanocrystals feature low toxicity, high stability and unique optical properties.

In previously reported hot injection methods for synthesizing perovskite [nanocrystals](#), [metal](#) halides or metal acetates are often used as metal precursors. However, for many new perovskite nanocrystalline systems, the inability of these two types of metal salts to ionize in organic solvents is an important reason for synthesis failure.

Recently, a research group led by Prof. Han Keli and Prof. Yang Bin from the Dalian Institute of Chemical Physics (DICP) of the Chinese Academy of Sciences discovered that metal acetylacetonates are a suitable type of metal precursor. By using Hf-based, vacancy-ordered perovskite as a model system and hafnium acetylacetonate as a metal source, they synthesized  $\text{Cs}_2\text{HfCl}_6$  nanocrystals for the first time via hot injection method.

This study was published in *Laser & Photonics Reviews* on Dec. 13.

Different from previously reported perovskite nanocrystals, the newly synthesized  $\text{Cs}_2\text{HfCl}_6$  nanocrystal is a defect-intolerant semiconductor.

To mitigate the sub-band gap defect states inside  $\text{Cs}_2\text{HfCl}_6$  nanocrystals, the researchers proposed a passivation strategy of  $\text{Sb}^{3+}$  doping, which had not been reported in previous perovskite studies.

Moreover, by using rare earth acetylacetonates, the researchers doped four [rare earth ions](#), including  $\text{Pr}^{3+}$ ,  $\text{Tb}^{3+}$ ,  $\text{Eu}^{3+}$ ,  $\text{Ho}^{3+}$ , into the crystal lattice of the  $\text{Cs}_2\text{HfCl}_6$  nanocrystal host, and obtained tunable multicolor emissions.

Compared with the previously reported rare-earth-ion-doped perovskite nanocrystal systems, the use of rare earth acetylacetonate compounds enabled rare earth element ions to be doped into the nanocrystal lattice under a relatively milder temperature.

"Our study not only provides an [effective strategy](#) for regulating the optical properties of vacancy-ordered [perovskite nanocrystals](#), but also enriches the hot-injection synthesis method, which may promote the development of new [perovskite](#) nanocrystal systems," said Prof. Han.

**More information:** Siping Liu et al, Colloidal Synthesis and Tunable Multicolor Emission of Vacancy-Ordered  $\text{Cs}_2\text{HfCl}_6$  Perovskite Nanocrystals, *Laser & Photonics Reviews* (2021). [DOI: 10.1002/lpor.202100439](#)

Provided by Chinese Academy of Sciences

Citation: Scientists synthesize hafnium-based, vacancy-ordered perovskite nanocrystals by hot injection method (2021, December 17) retrieved 26 June 2024 from <https://phys.org/news/2021-12-scientists-hafnium-based-vacancy-ordered-perovskite-nanocrystals.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.