

## Size doesn't matter: Rock composition determines how deadly a meteorite impact is



Comparison of meteorite impact stratigraphy and extinction intensity of wellresolved marine genera. (a) Impact database of the 33 largest and best-dated impacts in the past 600 myr (Coldwell and Pankhurst 2019). Transient crater diameters  $\geq 10$  km with age precision better than ±8 myr are shown as colored circles: circle size scaled to crater diameter, and color the KFF factor. Updated



from Coldwell and Pankhurst (2019) using revised age data (Schmieder and Kring 2019) and plotted by size and the K-feldspar factor (color) of the target rocks. Fifteen of 33 ejecta blankets correlate with mass extinction events. (b) Extinction intensity for the entire duration of multicellular life highlights times of global environmental crises. The timing of the Acritarch Crisis also shown. Extinction intensity is expressed as the percentage of marine genera in their last appearance. Each K-feldspar-rich ejecta blanket corresponds to an Earth crisis and accounts for the majority of severe spikes in extinction intensity, including almost all since c. 250 Ma, when both records are most complete. Credit: DOI: 10.1144/jgs2021-055

A new study has found that the minerology of the rocks that a meteorite hits, rather than the size of the impact, determines how deadly an impact it will have.

The earth has been bombarded by meteorites throughout its long history. Meteorite impacts generate atmospheric dust and cover the Earth's surface with debris and have long been considered as a trigger of mass extinctions through Earth's history.

A multidisciplinary research team from the University of Liverpool and the Instituto Tecnológico y de Energías Renovables, Tenerife with expertise in paleontology, asteroid stratigraphy, mineralogy, cloud microphysics and climate modeling, sought to explore why some meteorites have caused mass extinctions, for example the K/Pg Chixulclub impact that killed off dinosaurs, yet many which are larger in size have not.

They analyzed 44 impacts over the past 600 million years using a new method: assessing the mineral content of the dust ejected into the atmosphere upon impact.



Their findings, published in the *Journal of the Geological Society* of London, reveal that meteorites that hit rocks rich in potassium feldspar (a common and rather benign mineral) always correspond with a mass extinction episode, irrespective of size.

Potassium feldspar is non-toxic. However, it is a powerful ice-nucleating mineral aerosol that strongly affects cloud dynamics, which makes them let through more solar radiation. This in turn warms up the planet and changes the climate. The atmosphere also becomes more sensitive to warming from greenhouse gas emissions, such as large volcanic eruptions.

Liverpool sedimentologist, Dr. Chris Stevenson, from the University's school of Earth, Ocean and Ecological Sciences co-authored the study.

He said: "For decades scientists have puzzled over why some meteorites cause mass extinctions, and others, even really big ones, don't.

"It's surprising when we put together the data: life carried on as normal during the 4th largest impact with a crater diameter of ~48 km, whereas an impact half the size was associated with a mass extinction only 5 million years ago.

"Many kill mechanisms have been proposed, such as large volcanic eruptions, but just like meteorites, these don't always correlate with mass extinctions.

"Using this new method for assessing the mineral content of the <u>meteorite</u> ejecta blankets, we show that every time a meteorite, big or small, hits rocks rich in potassium feldspar it correlates with a mass <u>extinction</u> event.

This opens up a whole new avenue of research: what exactly kills off life



during these episodes, and how long do the potassium feldspar effects last? Until now, only meteorites have changed the aerosol regime of the climate. However, present day human activities represent a similar mechanism with increasing emissions of mineral aerosols into the atmosphere."

The paper, "Meteorites that produce K-feldspar-rich ejecta blankets correspond to <u>mass</u> extinctions," is published in the *Journal of the Geological Society*.

**More information:** M.J. Pankhurst et al, Meteorites that produce K-feldspar-rich ejecta blankets correspond to mass extinctions, *Journal of the Geological Society* (2021). DOI: 10.1144/jgs2021-055

Provided by University of Liverpool

Citation: Size doesn't matter: Rock composition determines how deadly a meteorite impact is (2021, December 14) retrieved 3 May 2024 from <u>https://phys.org/news/2021-12-size-doesnt-composition-deadly-meteorite.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.