

Winter is coming: Researchers uncover the surprising cause of the Little Ice Age

December 15 2021



Multimodel mean correlation map between the low-frequency AMOC at 26°N and SST (12). Stars numbered 1 to 15 denote location of sites. Credit: Image from Lapointe et. al., 10.1126/sciadv.abi8230



New research from the University of Massachusetts Amherst provides a novel answer to one of the persistent questions in historical climatology, environmental history and the earth sciences: what caused the Little Ice Age? The answer, we now know, is a paradox: warming.

The Little Ice Age was one of the coldest periods of the past 10,000 years, a period of cooling that was particularly pronounced in the North Atlantic region. This cold spell, whose precise timeline scholars debate, but which seems to have set in around 600 years ago, was responsible for crop failures, famines and pandemics throughout Europe, resulting in misery and death for millions. To date, the mechanisms that led to this harsh climate state have remained inconclusive. However, a new paper published recently in *Science Advances* gives an up-to-date picture of the events that brought about the Little Ice Age. Surprisingly, the cooling appears to have been triggered by an unusually warm episode.

When lead author Francois Lapointe, postdoctoral researcher and lecturer in geosciences at UMass Amherst and Raymond Bradley, distinguished professor in geosciences at UMass Amherst began carefully examining <u>their 3,000-year reconstruction of North Atlantic</u> sea surface temperatures, results of which were published in the *Proceedings of the National Academy of Sciences* in 2020, they noticed something surprising: a sudden change from very warm conditions in the late 1300s to unprecedented cold conditions in the early 1400s, only 20 years later.

Using many detailed marine records, Lapointe and Bradley discovered that there was an abnormally strong northward transfer of warm <u>water</u> in the late 1300s which peaked around 1380. As a result, the waters south of Greenland and the Nordic Seas became much warmer than usual. "No one has recognized this before," notes Lapointe.

Normally, there is always a transfer of warm water from the tropics to



the arctic. It's a well-known process called the Atlantic Meridional Overturning Circulation (AMOC), which is like a planetary conveyor belt. Typically, warm water from the tropics flows north along the coast of Northern Europe, and when it reaches <u>higher latitudes</u> and meets colder arctic waters, it loses heat and becomes denser, causing the water to sink at the bottom of the ocean. This deep-water formation then flows south along the coast of North America and continues on to circulate around the world.

But in the late 1300s, AMOC strengthened significantly, which meant that far more warm water than usual was moving north, which in turn cause rapid arctic ice loss. Over the course of a few decades in the late 1300s and 1400s, vast amounts of ice were flushed out into the North Atlantic, which not only cooled the North Atlantic waters, but also diluted their saltiness, ultimately causing AMOC to collapse. It is this collapse that then triggered a substantial cooling.

Fast-forward to our own time: between the 1960s and 1980s, we have also seen a rapid strengthening of AMOC, which has been linked with persistently high pressure in the atmosphere over Greenland. Lapointe and Bradley think the same atmospheric situation occurred just prior to the Little Ice Age—but what could have set off that persistent highpressure event in the 1380s?

The answer, Lapointe discovered, is to be found in trees. Once the researchers compared their findings to a new record of solar activity revealed by radiocarbon isotopes preserved in tree rings, they discovered that unusually high solar activity was recorded in the late 1300s. Such solar activity tends to lead to high atmospheric pressure over Greenland.

At the same time, fewer volcanic eruptions were happening on earth, which means that there was less ash in the air. A "cleaner" atmosphere meant that the planet was more responsive to changes in solar output.



"Hence the effect of high solar activity on the atmospheric circulation in the North-Atlantic was particularly strong," said Lapointe.

Lapointe and Bradley have been wondering whether such an abrupt cooling event could happen again in our age of global climate change. They note that there is now much less arctic sea ice due to global warming, so an event like that in the early 1400s, involving sea ice transport, is unlikely. "However, we do have to keep an eye on the buildup of freshwater in the Beaufort Sea (north of Alaska) which has increased by 40% in the past two decades. Its export to the subpolar North Atlantic could have a strong impact on oceanic circulation", said Lapointe. "Also, persistent periods of high pressure over Greenland in summer have been much more frequent over the past decade and are linked with record-breaking ice melt. Climate models do not capture these events reliably and so we may be underestimating future ice loss from the ice sheet, with more freshwater entering the North Atlantic, potentially leading to a weakening or collapse of the AMOC." The authors conclude that there is an urgent need to address these uncertainties.

More information: Francois Lapointe, Little Ice Age abruptly triggered by intrusion of Atlantic waters into the Nordic Seas, *Science Advances* (2021). DOI: 10.1126/sciadv.abi8230. www.science.org/doi/10.1126/sciadv.abi8230

Provided by University of Massachusetts Amherst

Citation: Winter is coming: Researchers uncover the surprising cause of the Little Ice Age (2021, December 15) retrieved 23 June 2024 from <u>https://phys.org/news/2021-12-winter-uncover-ice-age.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.