


Consistent asteroid showers rock previous thinking on Mars craters

January 21 2022



Credit: Curtin University

New Curtin University research has confirmed the frequency of asteroid collisions that formed impact craters on Mars has been consistent over the past 600 million years.

The study, published in *Earth and Planetary Science Letters*, analyzed the formation of more than 500 large Martian craters using a crater

detection algorithm previously developed at Curtin, which automatically counts the visible impact craters from a high-resolution image.

Despite previous studies suggesting spikes in the [frequency](#) of asteroid collisions, lead researcher Dr. Anthony Lagain, from Curtin's School of Earth and Planetary Sciences, said his research had found they did not vary much at all for many millions of years.

Dr. Lagain said counting impact craters on a planetary surface was the only way to accurately date geological events, such as canyons, rivers and volcanoes, and to predict when, and how big, future collisions would be.

"On Earth, the erosion of plate tectonics erases the history of our planet. Studying planetary bodies of our Solar System that still conserve their early geological history, such as Mars, helps us to understand the evolution of our planet," Dr. Lagain said.

"The [crater](#) detection algorithm provides us with a thorough understanding of the formation of impact craters including their size and quantity, and the timing and frequency of the asteroid collisions that made them."

Past studies had suggested that there was a spike in the timing and frequency of asteroid collisions due to the production of debris, Dr. Lagain said.

"When big bodies smash into each other, they break into pieces or debris, which is thought to have an effect on the creation of impact craters," Dr. Lagain said.

"Our study shows it is unlikely that debris resulted in any changes to the formation of [impact craters](#) on planetary surfaces."

Co-author and leader of the team that created the algorithm, Professor Gretchen Benedix, said the algorithm could also be adapted to work on other planetary surfaces, including the Moon.

"The formation of thousands of lunar craters can now be dated automatically, and their formation frequency analyzed at a higher resolution to investigate their evolution," Professor Benedix said.

"This will provide us with valuable information that could have future practical applications in nature preservation and agriculture, such as the detection of bushfires and classifying land use."

The paper is titled "Has the impact flux of small and large asteroids varied through time on Mars, the Earth and the Moon?"

More information: Anthony Lagain et al, Has the impact flux of small and large asteroids varied through time on Mars, the Earth and the Moon?, *Earth and Planetary Science Letters* (2022). [DOI: 10.1016/j.epsl.2021.117362](https://doi.org/10.1016/j.epsl.2021.117362)

Provided by Curtin University

Citation: Consistent asteroid showers rock previous thinking on Mars craters (2022, January 21) retrieved 26 June 2024 from <https://phys.org/news/2022-01-asteroid-showers-previous-mars-craters.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.