


Deadly combination: New direct trigger for cell death discovered

January 13 2022



Credit: Unsplash/CC0 Public Domain

Scientists led by Professor Ana J. Garcia-Saez at the CECAD Cluster of Excellence for Aging Research at the University of Cologne have shown that apoptosis, the programmed cell death, involves a direct physical

interplay between the two proteins BAX and DRP1. DRP1 can serve as a direct cell death activator by binding to BAX without the need for other cell death triggers. This finding could lead to the development of new cell death regulators for cancer therapies, for example. The article was published in *The EMBO Journal*.

It is known that the so-called 'apoptotic enforcer protein' BAX encounters DRP1 in the cell at the mitochondrial membrane. The latter is a dynamin-like protein that plays a critical role in mitochondrial division. However, the functional implications of their interaction and the contribution of DRP1 to apoptosis have been highly controversial.

BAX is a key protein in the pathway to cell [death](#). Understanding the mechanism of action of BAX is critical for therapeutic regulation of apoptosis. Using super-resolution confocal fluorescence microscopy and biochemical as well as biophysical methods in model membrane systems, the research team was able to demonstrate the [direct interaction](#) of the two proteins in dying [cells](#). In addition, using a system that artificially brings the two proteins together, they investigated the functional consequences of the interaction of BAX and DRP1.

"When we artificially force the interaction of the two proteins, they move from the cytoplasm to the mitochondria, where the protein complex triggers a reorganization of the mitochondria. This leads to pores in the membrane. The contents of the mitochondria enter the cell plasma, which ultimately leads to cell death," said Andreas Jenner, first author of the study.

By combining methods such as the dimerization-dependent fluorescence technique, cross-linked mass spectrometry and the analysis of different [protein](#) pieces, the interaction surface could also be identified for the first time. DRP1 binds to the front end (N-terminus) of the amino acid chain of BAX, which is shown to be a regulatory region for BAX

activity. "It was impressive to see that cells started to die just by forcing the interaction between BAX and DRP1, without the need for another death trigger," Garcia-Saez said. "It's great that we now know that DRP1 can act as a direct apoptosis activator, which for the first time gives functional significance to the connection between the two proteins. This could pave the way for the development of new BAX regulators for therapeutic applications."

More information: Andreas Jenner et al, DRP1 interacts directly with BAX to induce its activation and apoptosis, *The EMBO Journal* (2022).
[DOI: 10.15252/emj.2021108587](https://doi.org/10.15252/emj.2021108587)

Provided by University of Cologne

Citation: Deadly combination: New direct trigger for cell death discovered (2022, January 13)
retrieved 24 April 2024 from
<https://phys.org/news/2022-01-deadly-combination-trigger-cell-death.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.