


# Impossible material made possible inside a graphene sandwich

January 20 2022

---



A single layer of cuprous iodide encapsulated in between two sheets of graphene (gray atoms). Credit: Kimmo Mustonen, Christoph Hofer and Viera Skákalov

Atoms bind together by sharing electrons. The way this happens depends on the atom types but also on conditions such as temperature and pressure. In two-dimensional (2D) materials, such as graphene, atoms join along a plane to form structures just one atom thick, which leads to fascinating properties determined by quantum mechanics. Researchers at

the University of Vienna in collaboration with the Universities of Tübingen, Antwerp and CY Cergy Paris, together with Danubia NanoTech, have produced a new 2D material made of copper and iodine atoms sandwiched between two graphene sheets. The results were published in the journal *Advanced Materials*.

The design of new materials allows for either improved efficiency of known applications or totally new applications that were out of reach with the previously existing materials. Indeed, tens of thousands of conventional materials such as metals and their alloys have been identified over the last hundred years. A similar number of possible 2D materials have been predicted to exist, but as of now, only a fraction of them have been produced in experiments. One reason for this is the instability of many of these materials in laboratory conditions.

In the recent study, the researchers synthesized 2D cuprous iodide that was stabilized in a graphene sandwich, as the first example of a material that does not otherwise exist in normal laboratory conditions. The synthesis utilizes the large interlayer spacing of oxidized graphene multilayers, which allows iodine and copper atoms to diffuse into the gap and to grow the new material. The graphene layers here have an important role imposing a high pressure on the sandwiched material that thus becomes stabilized. The resulting sandwich structure is shown in the illustration.

"As so often, when we first saw the new material in our microscopy images, it was a surprise", says Kimmo Mustonen, the lead author of the study. "It took us quite some time to figure out what the structure precisely was. This enabled us together with Danubia NanoTech company, headed by Viera Skákalová, to design a chemical process for producing it in large scale", he continues. Understanding the structure was a joint effort of scientists from the Universities of Vienna, Tübingen, Antwerp and CY Cergy Paris. "We had to use several electron

microscopy techniques to make sure that we were really seeing a monolayer of copper and iodine and to extract the exact atom positions in 3D, including the latest methods we have recently developed", the second lead author Christoph Hofer adds.

Following the 2D copper iodide, the researchers have already expanded the synthesis method to produce other new 2D materials. "The method seems to be truly universal, providing access to dozens of new 2D materials. These are truly exciting times," Kimmo Mustonen concludes.

**More information:** Kimmo Mustonen et al, Toward Exotic Layered Materials: 2D Cuprous Iodide, *Advanced Materials* (2021). [DOI: 10.1002/adma.202106922](https://doi.org/10.1002/adma.202106922)

Provided by University of Vienna

Citation: Impossible material made possible inside a graphene sandwich (2022, January 20) retrieved 27 April 2024 from <https://phys.org/news/2022-01-impossible-material-graphene-sandwich.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.