

## A single molecule makes a big splash in the understanding of the two types of water

January 6 2022



Credit: University of Tokyo

It plays a fundamental role in human existence and is a major component of our universe, yet there are still things we don't understand about water. To address the knowledge gaps, a collaborative team of Institute



of Industrial Science, The University of Tokyo, Kyoto University, and Tohoku University investigated electron transport through a single water molecule in a  $C_{60}$  cage. Their findings are published in *Nano Letters*.

Simple systems are often the best starting point for determining complex information. A single <u>water</u> molecule is one such system. Made up of just three atoms, it provides an excellent model for establishing quantum mechanical information.

Introducing a water molecule into a  $C_{60}$  cage—a <u>soccer ball</u>-shaped molecule made entirely of <u>carbon atoms</u>—gives H<sub>2</sub>O@C<sub>60</sub> and is an excellent way of isolating water for investigation. The researchers achieved this using "molecular surgery," which involves opening the cage, injecting water, and closing the cage again.

 $H_2O@C_{60}$  was then used as a single molecule transistor (SMT) by mounting one  $H_2O@C_{60}$  molecule in the very small gap—less than 1 nm—between two gold electrodes. Because the electric current then passes through the isolated molecule only, the electron transport can be studied with high specificity.

A conductance map, also known as a "Coulomb stability diagram," was generated for the  $H_2O@C_{60}$  SMT. It showed multiple tunneling-induced excited states for the water molecule. In contrast, the Coulomb stability diagram of an empty  $C_{60}$  cage SMT showed only two excited states.

"Because it contains two <u>hydrogen atoms</u>, water has two different nuclear spin states: ortho- and para-water. In ortho-water the hydrogen nuclear spins are in the same direction, while in para-water they are opposite to one another," explains study lead author Shaoqing Du. "Understanding the transition between these two types of water is an important area of research."



The researchers measured tunneling spectra for the  $H_2O@C_{60}$  system and, by comparing the findings with theoretical calculations, were able to attribute the measured conductance peaks to rotational and vibrational excitations of the water molecule. They also investigated  $H_2O@C_{60}$  using terahertz spectroscopy and the results agreed with the tunneling spectroscopy data.

Both techniques showed quantum rotational excitations of ortho- and para-water simultaneously. This demonstrates that the single water molecule transitioned between the two nuclear isomers (ortho- and parawater) within the timeframe of the experiment, which was approximately one minute.

"Our findings make an important contribution to the understanding of ortho-para fluctuation in <u>water molecules</u>," says study corresponding author Kazuhiko Hirakawa. "Because water plays such an important role in chemistry and biology, and even in understanding our universe, we expect our findings to have a wide-ranging impact."

The study, "Inelastic Electron Transport and Ortho–Para Fluctuation of Water Molecule in  $H_2O@C60$  Single Molecule Transistors," was published in *Nano Letters*.

**More information:** Shaoqing Du et al, Inelastic Electron Transport and Ortho–Para Fluctuation of Water Molecule in  $H_2O@C_{60}$  Single Molecule Transistors, *Nano Letters* (2021). <u>DOI:</u> <u>10.1021/acs.nanolett.1c03604</u>

Provided by University of Tokyo

Citation: A single molecule makes a big splash in the understanding of the two types of water



(2022, January 6) retrieved 6 August 2024 from <u>https://phys.org/news/2022-01-molecule-big-splash.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.