


Neural networks can identify carbon dioxide in seismic observations

January 28 2022, by Morgan Rehnberg



In this 3D seismic observation, the carbon dioxide (CO₂) reservoir has been labeled in green by a human evaluator, but according to a new study, machine learning algorithms may soon replace people for this task. Credit: DOI: [10.1029/2021JB022524](https://doi.org/10.1029/2021JB022524)

The removal of carbon dioxide (CO₂) from Earth's atmosphere is a promising tool in the fight to counteract climate change. So-called

carbon capture and sequestration (CCS) uses mechanical and chemical techniques to remove CO₂ from the air, concentrate it, and inject it underground for long-term storage. Although CCS currently represents a tiny fraction of climate change mitigation efforts, it may grow in importance in coming decades.

A key element in CCS is ensuring that collected CO₂ concentrations remain safely and stably stored within the geologic units into which they are injected, which is done primarily through time series of 3D [seismic observations](#). As CO₂ is injected into rock pores, it significantly alters the rock's overall density and other bulk properties, yielding different responses to incoming seismic waves.

By watching the seismic properties of a region evolve as a CCS project is undertaken, scientists and engineers can monitor the spread of CO₂ throughout the area. However, transforming 3D seismic maps into CO₂ distributions requires significant data transformation, as well as interpretation by a technician. As data acquisition tools and human interpreters change over time, maintaining the consistency of the time series becomes a challenge.

Li and Li propose to address these difficulties through the use of a machine learning algorithm for data processing and interpretation. In their new study, they employ a [neural network](#)-based approach known as a U-net, which was originally developed for the interpretation of biomedical imaging.

The authors trained the [network](#) using a publicly available collection of CCS seismic data. The baseline data were acquired in 1994, with a few follow-up observations up to 2010. In addition to [seismic data](#), the 2010 follow-up data include labeled CO₂ regions derived from traditional, human-driven processing. Because these data are spaced widely in time, they represent observations made with different generations of

technology and interpreted by different technicians.

After training, which required only several hours on a high-end consumer PC, the authors evaluated their neural network using separate data. Processing a single observation with the neural network required only a few seconds. They found that the network produces high-quality results that are both accurate to the human-provided labels and consistent between observations. Importantly, the U-net maintained its usefulness even in the face of moderate processing-induced mismatches.

As CCS projects expand in both number and duration, establishing a consistent baseline for the interpretation of seismic results will become important. This work indicates that a neural network–based approach can successfully provide that metric, increasing the reliability and comparability of subterranean CO₂ observations.

More information: Bei Li et al, Neural Network-Based CO₂ Interpretation From 4D Sleipner Seismic Images, *Journal of Geophysical Research: Solid Earth* (2021). [DOI: 10.1029/2021JB022524](https://doi.org/10.1029/2021JB022524)

This story is republished courtesy of AGU Blogs (<https://eos.org/>), a community of Earth and space science blogs, hosted by the American Geophysical Union. Read the original story [here](#).

Provided by Eos

Citation: Neural networks can identify carbon dioxide in seismic observations (2022, January 28) retrieved 24 April 2024 from <https://phys.org/news/2022-01-neural-networks-carbon-dioxide-seismic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.