


Scientists prove that deadly gene has jumped from a harmless organism to a nasty pathogen

January 18 2022



Efflux pumps contribute to high-level meropenem but not imipenem resistance. Data represent the MIC of *P. aeruginosa* ATCC27853 control strain (red dashed line) at MIC=0.5 mg l⁻¹ and the MIC of each isolate tested in the presence of PAβN (black line). MIC, minimum inhibitory concentration; MER, meropenem; IMI, imipenem; PAβN, phenylalanine arginine β-naphthylamide. Credit: DOI:

10.1099/mgen.0.000715

University of South Australia scientists have made a surprising discovery in the origins of an antibiotic-resistant gene previously thought to have been confined to Adelaide.

The gene, first detected in Adelaide in 2006, is carried by the nasty bacterium *Pseudomonas aeruginosa*, an organism responsible for thousands of deaths among immunocompromised, surgical and burns patients due to its resistance to last resort antibiotics.

This gene makes infections resistant to the most potent antibiotics used in medicine—imipenem and meropenem. Antibiotic resistant *P. aeruginosa* is now listed by the World Health Organization as a "critical priority pathogen," one of 12 families of bacteria that pose the greatest threat to human health.

Until now, it was believed that the Adelaide Imipenemase (AIM-1) gene was only found in the South Australian capital city after being detected in clinical samples and healthcare-associated wastewater.

But a group of scientists led by UniSA microbiologist Associate Professor Rietie Venter has shown evidence of it worldwide, pinpointing its source in a harmless environmental organism present in soil, groundwater, wastewater and even in plants.

The findings have been published in the journal *Microbial Genomics*.

The discovery suggests that the gene has mobilized at some stage and jumped from a harmless organism to a nasty pathogen.

"It's an [opportunistic pathogen](#) which is ubiquitous and very resilient," says Assoc Prof Venter.

The team used innovative ways to track and characterize antimicrobial resistance, making their discovery through wastewater analysis. Their research revealed the AIM-1 gene was prevalent at many sites throughout Adelaide and South Australia, including in every wastewater sample and [river water](#), hinting at a wider spread of the gene than originally thought.

"We then investigated the possibility of a global distribution of the AIM-1 gene. Through extensive nucleotide and protein data base searching, we discovered the gene was also present in Asia, North America and Europe."

However, AIM-1 was predominantly found in harmless environmental [organisms](#) and has only made the jump to the pathogen *P. aeruginosa* in two other locations so far (Iran and Iraq).

"Genes that are 'mobile' jump around all the time, but the scenario described in this study is much rarer," says Assoc Prof Venter.

"However, as microbes are a great source of antibiotics and very competitive, it is highly likely that many bacterial resistant genes evolve in unknown organisms before making their way to dangerous pathogens, especially *P. aeruginosa*, which shares a habitat with harmless environmental organisms."

Assoc Prof Venter says the AIM-1 gene requires carefully monitoring.

"If we can better understand why [genes](#) jump from environmental into human [pathogens](#), we might be able to prevent it from happening more often," she says.

More information: Anteneh Amsalu et al, Worldwide distribution and environmental origin of the Adelaide imipenemase (AIM-1), a potent carbapenemase in *Pseudomonas aeruginosa*, *Microbial Genomics* (2021).
[DOI: 10.1099/mgen.0.000715](https://doi.org/10.1099/mgen.0.000715)

Provided by University of South Australia

Citation: Scientists prove that deadly gene has jumped from a harmless organism to a nasty pathogen (2022, January 18) retrieved 18 April 2024 from
<https://phys.org/news/2022-01-scientists-deadly-gene-harmless-nasty.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.