


Scientists simulate 'fingerprint' of noise on quantum computer

January 26 2022, by Louise Lerner



Credit: Graham Carlow, IBM / CC BY-ND 2.0

For humans, background noise is generally just a minor irritant. But for quantum computers, which are very sensitive, it can be a death knell for computations. And because "noise" for a quantum computer increases as the computer is tasked with more complex calculations, it can quickly become a major obstacle.



But because quantum computers could be so incredibly useful, researchers have been experimenting with ways to get around the noise problem. Typically, they try to measure the noise in order to correct for it, with mixed success.

A group of scientists from the University of Chicago and Purdue University collaborated on a new technique: Instead of directly trying to measure the noise, they instead construct a unique "fingerprint" of the noise on a quantum <u>computer</u> as it is seen by a program run on the computer.

This approach, they say, shows promise for mitigating the noise problem—as well as suggesting ways that users could actually turn noise to their advantage.

"We wondered if there was a way to work with the noise, instead of against it," said David Mazziotti, professor in the Department of Chemistry, James Franck Institute and the Chicago Quantum Exchange and a co-author on the study, which was published Jan. 25 in *Nature Communications Physics*.

'A fresh approach'

Quantum computers are based on the laws of how particles behave at the atomic level. Down at that level, particles obey a set of very strange rules; they can be in two different states at once, or become 'entangled' across space. Scientists hope to harness these abilities as the basis for computers.

In particular, many scientists want to use quantum computers to better understand the rules of the natural world, because molecules operate according to the laws of quantum mechanics—which should theoretically be easier to simulate using a quantum computer.



But despite significant advances in <u>quantum computing</u> technology over the past decade, computational ability has lagged behind scientists' hopes. Many had assumed that increasing the number of computer bits—"qubits," for quantum computers—would help alleviate the noise problem, but since noise limits accuracy, scientists still haven't been able to perform many of the computations they would like.

"We thought it might be time for a fresh approach," said co-author Sabre Kais, professor of physics and chemistry at Purdue University.

To date, scientists have tried to understand the effect of noise by directly measuring the noise in each qubit. But cataloging such discrete changes is difficult, and, the group thought, perhaps not always the most efficient route.

"Quite often in physics, it is actually easier to understand the overall behavior of a system than to know what each part is doing," said coauthor Zixuan Hu, a postdoctoral researcher at Purdue. "For example, it is hard to simulate what each molecule in a glass of water is doing, but it is much easier to predict the behavior of the whole."

So instead of trying to precisely measure the actual noise, the scientists decided to run a test to get a sense of the overall noise that quantum computers experience.

They picked a particular computation of a molecule displaying quantum behavior, and ran it as a simulation on a quantum computer. Then they tweaked the settings on the problem in several different directions, and kept track of how the noise responded. "By putting this all together, we build a 'fingerprint' of the noise as perceived by the simulation that we're running," said Mazziotti.

Hu explained that running a computation of a molecule that is already



well known helped them tease out the specific effects of the noise.

"We know very little about quantum computers and noise, but we know really well how this molecule behaves when excited," said Hu. "So we use quantum computers, which we don't know much about, to mimic a molecule which we are familiar with, and we see how it behaves. With those familiar patterns we can draw some understanding."

This operation gives a more 'bird's-eye' view of the noise that quantum computers simulate, said Scott Smart, a Ph.D. student at the University of Chicago and first author on the paper.

The authors hope this information can help researchers as they think about how to design new ways to correct for noise. It could even suggest ways that noise could be useful, Mazziotti said.

For example, if you're trying to simulate a quantum system such as a molecule in the real world, you know it will be experiencing noise—because noise exists in the real world. Under the previous approach, you use computational power to add a simulation of that noise.

"But instead of building noise in as additional operation on a quantum computer, maybe we could actually use the noise intrinsic to a quantum computer to mimic the noise in a quantum problem that is difficult to solve on a conventional computer," Mazziotti said.

The authors believe this unique approach to the noise problem is helpful as researchers continue to explore the young field of quantum computing.

"We're still not even sure what kinds of problems for which quantum computers will be most useful," Mazziotti said. "We hope this will provide different way to think about <u>noise</u> that will open up new avenues



for simulating molecules with quantum devices."

More information: Scott E. Smart et al, Relaxation of stationary states on a quantum computer yields a unique spectroscopic fingerprint of the computer's noise, *Communications Physics* (2022). DOI: 10.1038/s42005-022-00803-8

Provided by University of Chicago

Citation: Scientists simulate 'fingerprint' of noise on quantum computer (2022, January 26) retrieved 24 April 2024 from <u>https://phys.org/news/2022-01-scientists-simulate-fingerprint-noise-quantum.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.