

Australia's forests became catastrophic fire risk after British invasion

February 16 2022, by Michela Mariani, Michael-Shawn Fletcher, Simon Connor



Cultural burning in Djabugay Country. Credit: Australian Museum

Australia's forests now carry far more flammable fuel than before British invasion, our research shows, revealing the catastrophic risk



created by non-Indigenous bushfire management approaches.

Contemporary approaches to forest management in Australia are based on suppression—extinguishing bushfires once they've started, or seeking to prevent them through hazard-reduction burning.

This differs from the approach of Indigenous Australians who've developed sophisticated relationships with <u>fire</u> over tens of thousands of years. They minimize bushfire risk through frequent low-intensity burning—in contrast to the current scenario of <u>random</u>, high-intensity fires.

Our research, <u>released today</u>, provides what we believe is the first quantitative evidence that forests and woodlands across southeast Australia contained fewer shrubs and more grass before colonization. This suggests Indigenous fire management holds the key to a safer, more sustainable future on our flammable continent.

Not just a climate story

Globally, <u>climate change</u> is causing catastrophic fire weather <u>more often</u>. In Australia, long-term drought and high temperatures were blamed for the Black Summer bushfires in the summer of 2019-20. This event burned 18 million hectares, an area almost twice the size of England.

The <u>unusually high</u> fire extent in forests prompted several important questions. Could these massive fires be explained by climate change alone? Or was the way we manage forests also affecting fire behavior?

Recent catastrophic fires in Australia and North America prompted renewed scrutiny of how the <u>disruption</u> and <u>exclusion</u> of First Nations' burning practices has affected forest fuel loads.



Fuel load refers to the amount of flammable organic matter in vegetation such as leaves, twigs, branches and trunks. Large fuel loads in the shrubby layers of vegetation enable flames to more easily reach tree canopies, causing intense and dangerous "crown" fires.

Long before British invasion of southeast Australia in 1788, Indigenous people managed Australia's flammable vegetation with "cultural burning" practices. These involved frequent, low-intensity fires which led to a <u>fine-grained vegetation mosaic comprising grassy areas and scattered trees</u>.

Landscapes managed in this way were <u>less prone</u> to destructive fires.

But under colonial rule, Aboriginal people were dispossessed of their lands and often prevented from carrying out many important practices.

The colonizers suppressed Indigenous cultural burning—sometimes to <u>protect fences</u>—causing the land to become <u>overgrown with shrubs</u>.

Colonial vegetation management involved clear-cutting and intense intentional burning to create land on the plains for agriculture. Forests in rugged and less desirable terrain were left unmanaged or exploited through <u>logging</u>.

A fire-fighting mentality came to dominate fire management in Australia, in which fires are seen as a threat to be prevented, or stopped once they start. This thinking underlies mainstream fire and land management to this day.







Post-colonial

- Frequent cool burns
- Low shrub cover
- Rare canopy fires

- Disruption of cultural burns
- Shrubs replace grasses
- More fuel build-up



- Climate change
- High fuel connectivity
- Severe, intense wildfires

The transition from pre- to post-colonial fuel structure in southeastern Australian forests, according to results presented in our recent publication in *Frontiers in Ecology and the Environment*. Credit: Mariani et al., 2022



Uncovering past landscapes

Our research set out to examine vegetation change at 52 sites across much of Australia's southeast before and after colonization in 1788. A large proportion of these are in forested areas of Victoria and New South Wales.

Scientists can develop a picture of past vegetation by extracting tiny fossilized grains of pollen from ancient sediment in wetlands and lake beds. Different plants produce pollen grains with different shapes, so by analyzing them we can reconstruct past vegetation landscapes.

We also calibrated the amount of pollen to vegetation cover, to determine the past proportions of trees, shrubs, and grasses and herbs.

We did this using new modeling techniques that allow the conversion of pollen grain counts to plant cover across the landscape. These models have been widely applied in <u>Europe</u>, but our work represents a first in Australia.

We could then quantify vegetation changes before and after British invasion. We found forests in the southeast are now much denser, and more flammable, than before 1788.

We found grass and herb vegetation dominated the pre-colonial period, accounting for about half the vegetation across all sites. Trees and shrubs covered about 15% and 34% of the landscape, respectively.

After British invasion, shrubbiness in forests and woodlands in southeast Australia increased by up to 48% (with an average increase of 12%). Shrubs replaced grassy areas, while tree cover has remained stable overall.



Considering the vast area covered by our analysis, the shrub increase represents a massive accumulation of fuel loads.

More than 200 years of neglect

In 1770, natural history artist Sydney Parkinson <u>described</u> the landscape along Australia's east coast as "free from underwood [...] like a gentleman's park."

In 2011, historian Bill Gammage published a controversial book titled The Biggest Estate on Earth. It contained several paintings of early colonial Australia in which the landscapes resembled a savanna, with large gaps between trees and a grassy understorey.

Nowadays, many such areas are dense <u>forest</u>. Our research is the first region-wide analysis that gives scientific credence to these historical accounts of a landscape very different to what we see today.

The disposession of Indigenous Australians by British invaders has had a deep <u>social and ecological impact</u>. This includes neglect of the bush, the direct result of denying Aboriginal Australians the right to exercise their duty of care over Country, using fire.

Australia's forests need fire, deployed by capable Indigenous hands. Without it, increased fuel loads, coupled with climate change, will create conditions for bushfires bigger and more ferocious than we've ever seen before.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.



Provided by The Conversation

Citation: Australia's forests became catastrophic fire risk after British invasion (2022, February 16) retrieved 13 July 2024 from https://phys.org/news/2022-02-australia-forests-catastrophic-british-invasion.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.