


# How to get chloride ions into the cell

February 3 2022, by Brigitte Osterath

---




Photoactive chloride pumping through the cell membrane captured by time-resolved serial crystallography: Chloride ions (green spheres) are transported across the cell membrane by the NmHR chloride pump (pink). Credit: Guillaume Gotthard and Sandra Mous

Many bacteria and unicellular algae have light-driven pumps in their cell membranes: proteins that change shape when exposed to photons such that they can transport charged atoms in or out of the cell. Thanks to these pumps, their unicellular owners can adjust to the environment's pH value or salinity.

One such bacteria is *Nonlabens marinus*, first discovered in 2012 in the Pacific Ocean. Among others, it possesses a rhodopsin protein in its cell membrane which transports [chloride](#) anions from outside the cell to its inside. Just like in the human eye, a retinal molecule bound to the protein isomerizes when exposed to light. This isomerization starts the pumping process. Researchers now gained detailed insight into how the chloride pump in *Nonlabens marinus* works.

The study was led by Przemyslaw Nogly, once a postdoc at PSI and now an Ambizione Fellow and Group Leader at ETH Zürich. With his team, he combined experiments at two of PSI's large-scale research facilities, the Swiss Light Source SLS and the X-ray free-electron laser SwissFEL. Slower dynamics in the millisecond-range were investigated via time-resolved serial crystallography at SLS while faster, up to picosecond, events were captured at SwissFEL—then both sets of data were put together.

"In one paper, we exploit the advantages of two state-of-the-art facilities to tell the full story of this chloride pump," Nogly says. Jörg Standfuss, co-author of the study who built up a PSI team dedicated to creating such molecular movies, adds that "this combination enables first-class [biological research](#) as would only be possible at very few other places in the world beside PSI."



Pink crystals reveal the mechanism of chloride transport over the cell membrane: Using time-resolved serial crystallography, the pink NmHR crystals revealed ion binding sites in the chloride transporter and pumping dynamics after photoactivation. This allowed researchers to decipher the chloride transport mechanism. Credit: Sandra Mous

## No backflow

As the study has revealed, the chloride anion is attracted by a positively charged patch of the rhodopsin protein in *Nonlabens marinus*' [cell membrane](#). Here, the anion enters the protein and finally binds to a [positive charge](#) at the retinal molecule inside. When retinal isomerizes due to light exposure and flips over, it drags the chloride anion along and thus transports it a bit further inside the [protein](#). "This is how [light energy](#) is directly converted into [kinetic energy](#), triggering the very first step of the ion transport," Sandra Mous says, a Ph.D. student in Nogly's group and first author of the paper.

Being on the other side of the retinal molecule now, the chloride ion has reached a point of no return. From here, it goes only further inside the cell. An amino acid helix also relaxes when chloride moves along, additionally obstructing the passage back outside. "During the transport, two molecular gates thus make sure that chloride only moves in one direction: inside," Nogly says. One pumping process in total takes about 100 milliseconds.

Two years ago, Jörg Standfuss, Przemyslaw Nogly and their team unraveled the mechanism of another light-driven bacterial pump: the sodium pump of *Krokinobacter eikastus*. Researchers are eager to discover the details of light-driven pumps because these proteins are valuable optogenetic tools: genetically engineered into mammalian neurons, they make it possible to control the neurons activities by light and thus research their function.

**More information:** Sandra Mous et al, Dynamics and mechanism of a light-driven chloride pump, *Science* (2022). [DOI: 10.1126/science.abj6663](https://doi.org/10.1126/science.abj6663)

Provided by Paul Scherrer Institute

Citation: How to get chloride ions into the cell (2022, February 3) retrieved 21 May 2024 from <https://phys.org/news/2022-02-chloride-ions-cell.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.