

## **Deep insights into the Arctic of tomorrow**

February 7 2022



IceBird Summer 2020. Credit: Esther Horvath/MOSAiC

Hundreds of international researchers are currently analyzing observations from the one-year MOSAiC expedition, during which hundreds of environmental parameters were recorded with unprecedented accuracy and frequency over a full annual cycle in the Central Arctic Ocean. They have now published three overview articles



on the MOSAiC atmosphere, snow and sea ice, and ocean programs in the journal *Elementa*, highlighting the importance of examining all components of the climate system together. These results present the first complete picture of the climate processes in the central Arctic which is warming more than two times as fast as the rest of the planet—processes which affect weather and climate worldwide.

Diminishing sea ice is a symbol of ongoing global warming: In the Arctic, its extent has almost halved in summer since satellite records began in the 1980s. Less well studied but equally relevant are the thickness and other properties of the ice. The question of what this means for the future Arctic and how these changes will affect the global climate were the impetus for the historic MOSAiC expedition with the German research icebreaker Polarstern from September 2019 to October 2020. With these results coming out now, the researchers are building the most complete observation-based picture of climate processes in the Arctic, where the surface air temperature has been rising more than two times as fast as on the rest of the planet since the 1970s. To study the relevant processes for a full year required a special concept, in part because the Central Arctic Ocean is still ice-covered in winter and therefore difficult to access. During the expedition, the icebreaker froze to a large ice floe and drifted with the natural transpolar drift across the Arctic Ocean. And this is where the first surprises came. "We found more dynamic and faster drifting pack ice than expected. This not only challenged the teams on the ground in their daily work, but above all resulted in changed sea-ice properties and sea-ice thickness distributions," reports Dr. Marcel Nicolaus, sea-ice physicist at the Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research (AWI) and co-leader of Team Ice in the MOSAiC project.

One of the reasons for the rapid drift is provided by the analysis of the atmospheric research team: "Near the surface there were particularly low temperatures and associated persistent strong winds in the winter months



that pushed Polarstern faster than expected. Large-scale atmospheric pressure and wind patterns in January to March led to a particularly strong polar vortex around the Arctic, in addition to a record ozone hole in the Arctic stratosphere," explains Dr. Matthew Shupe, atmospheric scientist at CIRES at the University of Colorado and NOAA and coleader of Team Atmosphere.

The oceanography team is analyzing how atmosphere and sea ice changes are related to the water temperature and salinity. "We observe an increasing connection between the upper ocean and the deeper warm water layers in the Central Arctic Ocean, year-round," reports Dr. Céline Heuzé, physical oceanographer at the University of Gothenburg and coleader of the MOSAiC Team Ocean. "We were able to fully map ocean eddies over a complete annual cycle during the expedition. Nearly simultaneous measurements from Polarstern, our camp set up next to it on the ice and the distributed network up to 50 kilometers away from the ship provide the first assessment of small-scale events up to the regional scale," adds Dr. Benjamin Rabe, co-leader of the MOSAiC Team Ocean and physical oceanographer at the AWI.

Autonomous sensors were mounted on, in and under the ice to provide coordinated measurements of properties like temperature, winds or currents in the atmosphere, in the sea ice and down to several hundred meters in the ocean below. Atmospheric winds push the ice and cause snow to drift. The researchers investigated in detail how the winds affect the sea ice, for example, by recording the tension in the ice and measuring cracks and the height of the rising ice ridges. These properties in turn influence where and how snow is deposited or swept away. Snow stands out for its extreme physical properties, as it insulates the sea ice against the atmosphere, reflects most of the sun light and contains of fresh water. "We were able to show how short-term atmospheric events (storms in winter, warm spells in spring, meltwater fluxes in summer or rainfall in autumn) have large effects on the snow and sea-ice properties



over the coming months," Marcel Nicolaus describes the current findings. "We found larger spatial variations in the snow cover than expected, due to atmospheric processes and the structure of the underlying sea ice. This extreme variability means that we have to consider the snow in much more detail for future model simulations and the interpretation of satellite observations. As we have also been able to make remote sensing measurements on the ice, these—combined with the detailed snow and ice observations—pave the way for new and improved sea-ice observations from upcoming satellite missions. In addition, this enables a better uncertainty assessment of existing satellite time series," the AWI sea-ice physicist continues.

Atmospheric scientist Matthew Shupe adds: "During MOSAiC, we observed more than 20 Arctic cyclones, or storms, of various scales that passed over our ice floe. We have described these events in unprecedented detail, characterizing the vertical wind structure and momentum transfer to the sea ice and ocean, leading to sea-ice movement and fracture. During these events, the impacts of warm air masses moving into the Central Arctic with their associated clouds caused significant shifts in all components of the surface energy balance, affecting the sea-ice temperature, growth, and/or melt. Additionally, year-round information on the variability of atmospheric composition and aerosols provides new insights into the relative influences of longrange transport versus local processes, with important implications for climate-relevant cycles (e.g. the carbon cycle), clouds, and the radiative balance."

The three overview articles serve as references for a vast array of future scientific work. "The physical observations are the basis for interpreting biogeochemical cycles and ecosystem processes, and for supporting coupled models that we use to learn even more about climate feedbacks and the global repercussions of Arctic change. These changes can affect weather and climate worldwide," says Prof. Markus Rex, head of



MOSAiC and atmospheric scientist at the AWI. "It is fascinating how accurately we can map individual processes and relate them to each other. I am pleased to see how several hundred MOSAiC participants have collaborated on these publications. International cooperation with expedition participants from so many countries continues productively in a highly coordinated manner, even though the expedition has been over for more than a year. In this way, we will be able to provide ever more important insights into climate change, which will provide a knowledge base for societal transformation towards a sustainable approach to planet Earth," says MOSAiC leader Markus Rex.

## **Background information on MOSAiC**

During the Multidisciplinary drifting Observatory for the Study of Arctic Climate (MOSAiC) expedition, experts from 20 nations explored the Arctic for an entire year. From autumn 2019 to autumn 2020, the German research icebreaker Polarstern drifted frozen in the ice through the Arctic Ocean. MOSAiC was coordinated by the Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research (AWI). In order to make this unique project a success and to obtain the most valuable data possible, more than 80 institutes had pooled their resources in a research consortium. The total cost of the expedition was about 150 million euros, mostly funded by the German Federal Ministry of Education and Research.

**More information:** Marcel Nicolaus et al, Overview of the MOSAiC expedition, *Elementa: Science of the Anthropocene* (2022). DOI: 10.1525/elementa.2021.000046

Matthew D. Shupe et al, Overview of the MOSAiC expedition—Atmosphere, *Elementa: Science of the Anthropocene* (2022). DOI: 10.1525/elementa.2021.00060



Shupe, M.D. et al, Overview of the MOSAiC expedition: Physical oceanography. *Elementa: Science of the Anthropocene* (2022). DOI: doi.org/10.1525/elementa.2021.00062

## Provided by Alfred Wegener Institute

Citation: Deep insights into the Arctic of tomorrow (2022, February 7) retrieved 18 July 2024 from <u>https://phys.org/news/2022-02-deep-insights-arctic-tomorrow.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.