


Exploring the secret of Venus that may be hidden in the heat of the night

February 22 2022



Surface of Venus, observed by NASA's Magellan spacecraft, which mapped the entire surface of the planet using radar in the early 1990s. Evidence of volcanic activity and impact craters is observed. Credit: NASA/JPL

Despite being close to Earth and having nearly the same size, Venus is another world. Underneath its thick mantle of acid sulfuric clouds, at the surface 460 degrees Celsius are the rule. This temperature is kept by the greenhouse effect of a virtually carbon dioxide only atmosphere. Seventy kilometers above, one has to withstand a perpetual wind storm, the product of the so called Venus superrotation. A team of researchers led by the Instituto de Astrofísica e Ciências do Espaço (IAstro) is even closer to explaining the link between these infernal features.

A study published in the journal *Atmosphere*, led by Pedro Machado, of IAstro and Faculdade de Ciências da Universidade de Lisboa (Ciências ULisboa), presents the most detailed and complete set of measurements ever made of the speed of the wind in Venus parallel to the equator (zonal wind) and at the altitude of the bottom of the cloud deck. One of the novel results was the simultaneous measurement of the speed of the wind at two different heights 20 kilometers apart. The team registered a difference in wind speed of about 150 kilometers per hour faster at the top of the [clouds](#), which reinforces the hypothesis that energy is being transferred from the heat of the lower layers to the general circulation of the atmosphere.

"Winds accelerate as we move upward to increasing altitudes, but we don't know yet why," says Pedro Machado. "This study throws much light on this, because we managed to study the vertical component of the wind for the first time, that is, how the energy from the lower and hotter layers is carried up to the top of the clouds, where it leads to the acceleration of the winds."




Artist's conception of the surface of Venus. Credit: J. Whatmore.

The temperature at the [ground level](#) reaches 460 degrees Celsius and produces [infrared radiation](#) (named thermal emission), which heats the air and makes it move up. This radiation passes through the most transparent regions of the bottom of the clouds, at roughly 48 kilometers above the surface. When Venus is observed in infrared, we see this light radiate from the heat of the surface, and the silhouettes of the clouds, opaque and dark, become visible.

Observing and following the clouds at one hour intervals, and using a tracking technique improved by Javier Peralta, of Universidad de Sevilla and co-author of this study, the researchers indirectly computed the speed of the wind pushing those clouds. This speed is around 216 kilometers per hour at the bottom of the cloud deck and at medium latitudes, decreasing to half closer to the poles.

This work was undertaken almost from pole to pole on the nightside recovering imagens the team captured in the infrared with the Telescopio Nazionale Galileo (TNG), in La Palma, Canary Islands, between 11 and 13 July, 2012. On those same days and in a coordinated strategy, the Venus Express probe, from the European Space Agency (ESA), then orbiting the planet, observed in visible light the top of the cloud deck, about 20 kilometers above, at 70 kilometers of altitude.




Georeferencing system used in observations of Venus from the ground, the same system used by space probes orbiting Venus. On the right, this system is applied to an observation of the night side of Venus (the day side on the left is masked in black). This system allows to assign to each pixel of the image a latitude and longitude with high precision. Credit: Pedro Machado, et al. 2022

Also tracking those clouds, the researchers obtained speeds in the order of 360 kilometers per hour. Other studies, and computer simulations indicate that the speed of the wind at the bottom of the clouds is nearly constant, without significant differences between day and night. The team was then able to assume that the wind speed registered at night is the same at the lower layers of the atmosphere on the dayside.

The researchers thus collected, for the first time, measurements of differences in the [wind speed](#) between two altitudes from simultaneous observations, concluding that, on the dayside and in only 20 kilometers, the [wind](#) parallel to the equator suffers a boost in speed of about 150 kilometers per hour more. The heat from the surface may be the engine that sustains these cyclonic speeds of the winds at the top of the clouds.

The precision of the data collected with telescopes on Earth is comparable to the infrared cameras on space probes, due to the method brought to this study by Javier Peralta. "We used the same geographic referencing method of the images obtained with space probes, which was developed by NASA and complemented by the European Space Agency," Pedro Machado explains. "It's as if the telescope here on the ground was a spaceship."



Near-infrared image of Venus with the Telescopio Nazionale Galileo, in the Canary Islands. The sequence demonstrates the process of subtracting the brightness of the dayside of Venus in order to analyze the details of the nightside. The dark areas on the right of the first and third images are clouds, while the light areas are areas of lower opacity through which thermal radiation (infrared) from the planet's surface appears. Credit: Pedro Machado, et al. 2022

With the success of this approach, the team will now expand their research on the vertical component of the winds with new observations from the ground coordinated with the probe currently in the orbit of Venus, the Akatsuki mission, of the Japanese space agency JAXA. This study demonstrates that the observations conducted from Earth complement the data being collected at the same time by space missions. Despite the lower spatial resolution, due to the distance our planet is from Venus, it is in general possible to have a global view of our neighbor, which [space probes](#), due to their orbits, are not always able to get.

The next ESA mission dedicated to Venus is being planned, the EnVision. It will study the surface of the planet and try to learn about its past. Portugal is involved in the mission, and Pedro Machado leads the Portuguese consortium, in addition to being the co-investigator responsible for one of the instruments, an infrared spectrograph. "This work shows the kind of science that will be enabled with the EnVision instruments. We are already demonstrating the great relevance of the science that will be possible with this future mission."

The experience of IAstro and of the Portuguese researchers in the understanding of the dynamics of the atmosphere of Venus will help select the wavelengths of light in which the EnVision mission will observe, as well as the most relevant atmospheric layers from a scientific viewpoint, thus contributing to the design and planning of the mission and its instruments.

It is also expected that the national participation in the mission will bring onboard the Portuguese industry in another ESA international project, with the perspective of the support of the Portuguese Space Agency, Portugal Space.

More information: Pedro Machado et al, Venus' Cloud-Tracked

Winds Using Ground- and Space-Based Observations with TNG/NICS and VEx/VIRTIS, *Atmosphere* (2022). [DOI: 10.3390/atmos13020337](https://doi.org/10.3390/atmos13020337)

Provided by University of Lisbon

Citation: Exploring the secret of Venus that may be hidden in the heat of the night (2022, February 22) retrieved 12 August 2024 from <https://phys.org/news/2022-02-exploring-secret-venus-hidden-night.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.