

## **Exploring the strategies of categorization**

February 3 2022



Pigeons classify what they see into categories and thus help research. Credit: SFB874/Susanne Troll

Colloquially referred to as pigeonholing, categorisation learning often has a rather negative connotation in the public eye. Yet the basic cognitive ability to categorize offers a significant advantage: it condenses the flood of objects and events in our environment on the basis of



commonalities and makes the knowledge that we have accumulated usable for new experiences.

In the field of science, the aspects stimuli that determine the classification into a category have been the subject of controversial debate for a long time. The study conducted by the Bochum-based research team now offers insights into this question—through a research approach using computer-generated stimuli in combination with a machine learning analysis of the pecking behavior of pigeons. "We specialize in working with these animals," points out Dr. Roland Pusch, lead author of the study. "Pigeons have a highly developed visual system and show excellent performance in behavioral tests. This makes them an excellent model system to tackle this question."

## **Pigeons' specific pecking behavior facilitates detailed analysis**

The biopsychologists trained the pigeons to distinguish between digitally produced images on the screen and divide them into categories by pecking at the monitor. "We precisely defined the properties of the image stimuli," as Pusch outlines the process. "Through so-called virtual phylogenesis, we created two object families with 20 members each on the computer. Based on its properties, each object clearly belonged to family X or family Y and could thus be categorized accordingly by the animals." "The trump card in our research series was the specific pecking behavior of pigeons," adds project leader Professor Onur Güntürkün. "After training, pigeons use pecking to indicate whether an object belongs to a category or not. At the same time, they also mark exactly the spot on the object that was decisive for their categorisation choice."

Based on the automated recording, the researchers pinpointed the



locations on the objects that the pigeons touched when they made their choices on the monitor. "The pecking behavior of individual animals was very consistent. This leads us to the conclusion that the animals attach importance to very specific characteristics of the stimuli," says Pusch. "Interestingly enough, despite identical behavior, these preferences are different in each individual; in other words, each pigeon has its very own specific characteristics that it considers important in the two families of objects. This suggests that categorisation learning is not limited to a single learning strategy."

According to Pusch and Güntürkün, the combination of virtual phylogenesis and the machine learning approach offers a lot of potential for subsequent research in the field of categorisation learning. For example, the method opens up the possibility of studying speciesspecific behavioral strategies in comparative experiments in addition to its sensory basis. Beyond the behavioral analysis, neuronal processes that trigger categorisation learning in the brain could also be explored in detail.

The research was published in Animal Cognition.

**More information:** Roland Pusch et al, Digital embryos: a novel technical approach to investigate perceptual categorization in pigeons (Columba livia) using machine learning, *Animal Cognition* (2022). DOI: 10.1007/s10071-021-01594-1

## Provided by Ruhr-Universitaet-Bochum

Citation: Exploring the strategies of categorization (2022, February 3) retrieved 10 July 2024 from <u>https://phys.org/news/2022-02-exploring-strategies-categorization.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.