


Engineering a multi-element atomic arrangement

February 1 2022, by Katie Holland



MPEI nanoparticle synthetic process, product and comparison with the literature.
 Credit: A. James Clark School of Engineering, University of Maryland

For the first time, a research group at the University of Maryland

(UMD) has demonstrated the single phase nanoscale multi-principal element intermetallics (MPEIs) with up to eight metals—completely devoid of particle growth, or phase separation—via a novel multi-element disorder-to-order strategy. This approach demonstrates a general strategy for synthesizing MPEI nanoparticles, not only providing a step toward octonary intermetallics, but also enabling the synthesis of MPEIs at the nanoscale.

Nano-MPEIs are [intermetallic compounds](#)—roughly 4–5 nanometers diameter—composed of multi-elemental metals in definite proportions, as opposed to alloy, for example, which has variable proportions. The properties and [crystal structure](#) formed by these intermetallic compounds are different from its constituents.

The study, led by Liangbing Hu, Herbert Rabin Distinguished Professor of Materials Science and Engineering (MSE) at the University of Maryland (UMD) and director of the Center for Materials Innovation (CMI)—was published in *Science Advances* on January 28, 2022. Mingjin Cui, a former MSE Faculty Assistant at UMD, served as the first author on the research paper.

"Precisely controlling the atomic ordering arrangement inside [nanoparticles](#) is a great challenge," said Hu. "We achieved the multi-elemental ordered intermetallic nanoparticles by unique disorder-to-order transition strategy. The strategy can be extended to produce a combinatorial library of intermetallic nanomaterials that may feature novel properties and applications."

To achieve this, the group rapidly heated metal-salt precursors on a carbon substrate at 1100 K. Once cooled, they reheated the nanoparticles for five minutes, again at 1100 K, to encourage atomic rearrangement (thus ensuring the elements would fall in proper order), which gave way to a more stable MPEI arrangement. Then, the elements were rapidly

cooled. The result was MPEI nanoparticles boasting an intermetallic structure with multiple elements.

"What makes this work special is the nano-MPEIs in this case demonstrate high activity and stability in catalysis," said Cui. "Nano-MPEIs have not been achieved previously by traditional wet chemistry or long-time sintering processes."

Not only can this process bolster applications in catalysis, magnetics and superconductors, but the group expects to create a library, so to speak, of nanoparticle MPEIs, which could potentially give way to a new frontier of intermetallic research and applications.

More information: Mingjin Cui et al, Multi-principal elemental intermetallic nanoparticles synthesized via a disorder-to-order transition, *Science Advances* (2022). [DOI: 10.1126/sciadv.abm4322](https://doi.org/10.1126/sciadv.abm4322)

Provided by University of Maryland

Citation: Engineering a multi-element atomic arrangement (2022, February 1) retrieved 26 April 2024 from <https://phys.org/news/2022-02-multi-element-atomic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.