

New study sheds light on early human hair evolution

March 9 2022, by Tim Pierce




The Milne-Edwards's sifaka, sporting the classic black and white pigmentation pattern, found in Ranomafana National Park, Madagascar. Credit: NRowe, AllTheWorldsPrimates.org

Hair is an important feature of primate—including human—diversity

and evolution, serving functions tied to thermoregulation, protection, camouflage and signaling. However, the evolution of wild primate hair remained relatively understudied until recently.

Researchers in the Primate Genomics Lab at the George Washington University examined what factors drive [hair](#) variation in a wild population of lemurs known as Indriidae. Specifically, the researchers aimed to assess the impacts of climate, [body size](#) and color vision on hair evolution. They found:

- Sifaka lemurs, which are native to Madagascar, have denser hair in dry, open environments. The researchers believe that, like early humans, the lemurs' hair helps protect against the strong rays of the sun.
- Lemurs in colder regions are more likely to have dark hair. This is the first evidence in mammals for a classic pattern in nature called Bogert's Rule, which states that dark colors could aid with thermoregulation as they help absorb heat from the sun's rays.
- Red hair in lemurs is associated with enhanced [color vision](#). According to the researchers, populations that can see a larger range of colors are more likely to have patches of red hair.
- Multiple evolutionary pressures may act on one trait and the strength of their influence may vary between species.



A diademed sifaka from Tsinjoarivo, Madagascar with darker hair than what is typical. Credit: Dr. Karine Lalaina

"Human hair evolution remains a mystery, largely because hair does not fossilize," Elizabeth Tapanes, lead author on the paper and a postdoctoral scholar at the University of San Diego, California, said. (Tapanes conducted the study while a doctoral student at GW.) "The lemurs we studied exhibit an upright posture like humans and live in a variety of ecosystems like [early humans](#), so our results provide a unique window into human hair evolution."

Brenda Bradley, an associate professor of anthropology who directs GW's Primate Genomics Lab and is a co-author on the study, explained our understanding of hair [evolution](#) and diversity in other primates helps

us fill in the gaps of our own human evolutionary story.

"Most people are intrigued by the diversity of hair on their own bodies, and the variety of hair types among people around the world," Bradley said. "Understanding hair patterns in non-human primates, such as these lemurs, may provide a comparative context for understanding how variation arose in human hair."



A silky sifaka from Marojejy National Park, Madagascar, which is a warm & humid rainforest. This species can be fully white in some parts of the species range (as depicted), but can also look like a washed out version of the Diademed Sifaka in other parts of it's range. Credit: Dr. Erik Patel

The researchers note future work should focus on samples across smaller geographic or phylogenetic (family-level, genus-level) scales and from diverse non-human and human populations.

The study was published in the *American Journal of Biological Anthropology*.

More information: Elizabeth Tapanes et al, Hair phenotype diversity across Indriidae lemurs, *American Journal of Biological Anthropology* (2022). [DOI: 10.1002/ajpa.24508](https://doi.org/10.1002/ajpa.24508)

Provided by George Washington University

Citation: New study sheds light on early human hair evolution (2022, March 9) retrieved 11 July 2024 from <https://phys.org/news/2022-03-early-human-hair-evolution.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.