

Human actions accelerate climate-driven floods and droughts

March 9 2022



Credit: Unsplash/CC0 Public Domain

A study of more than 2,000 streams around North America found that those altered by human activity are at greater risk of flooding.



The study from the University of Waterloo analyzed the seasonal flow patterns of 2,272 <u>streams</u> in Canada and the U.S. and found that humanmanaged streams—those impacted by developments like dams, canals, or heavy urbanization—had significantly different flow patterns compared to streams in natural watersheds.

Greater flow increases in managed watersheds indicates more <u>severe</u> <u>flooding</u>—possibly as a result of the increased paved surfaces in urban regions. Flow dampening on the other hand can lead to water shortages and a loss in biodiversity in managed streams.

The study used natural watersheds untouched by <u>human activity</u> to measure the <u>impact of climate change</u> on streamflow. Using them as a baseline, the researchers then compared flow in managed streams within a radius of 115 kilometers to measure the impact of human developments.

"Compared to their natural neighbors, about 48 percent of the humanaltered streams had significant increases in seasonal flow trends, while 44 percent showed a significant decrease in the seasonal <u>flow</u> tends," said Nitin Singh, a postdoctoral fellow in Waterloo's Department of Earth and Environmental Sciences and lead author of this work. "We used machine learning to show conclusively that these changes are caused by human activity."

While previous studies have looked at stream flows at the annual scale, this study considers seasonal effects like spring flooding and summer droughts, which are critical for water management.

"It is important to recognize human modifications of the landscape often amplify the effects of climate change on streamflow," said Nandita Basu, Professor of Earth and Environmental Sciences and Civil and Environmental Engineering. "We need to take responsibility to manage



our landscape sustainably, because it's not just climate that is changing it."

The study "The human factor in seasonal streamflows across natural and managed watersheds of North America" was recently published in the journal *Nature Sustainability*.

More information: Nitin K. Singh et al, The human factor in seasonal streamflows across natural and managed watersheds of North America, *Nature Sustainability* (2022). DOI: 10.1038/s41893-022-00848-1

Provided by University of Waterloo

Citation: Human actions accelerate climate-driven floods and droughts (2022, March 9) retrieved 25 April 2024 from <u>https://phys.org/news/2022-03-human-actions-climate-driven-droughts.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.