


## Magnet-free chiral nanowires for spintronic devices

March 21 2022





Tellurium chiral structures. Credit: CIC nanoGUNE

Researchers from the Basque Nanoscience Research Center CIC nanoGUNE (San Sebastian, Spain), in collaboration with POLYMAT (San Sebastian, Spain), the Institute of Physics of the Martin Luther University Halle-Wittenberg and the Max Planck Institute of Microstructure Physics (both in Halle, Germany) have demonstrated the all-electrical generation, manipulation and detection of spin polarization in chiral single-crystalline Tellurium nanowires.

The results, published in *Nature Materials* ("Gate-tuneable and chiralitydependent charge-to-<u>spin</u> conversion in tellurium nanowires"), pave the way for the development of magnet-free chirality-based spintronic devices.

Chiral materials are an ideal playground for exploring the relation between symmetry, <u>relativistic effects</u>, and electronic transport.

For instance, chiral organic molecules have been intensively studied to electrically generate spin-polarized currents in the last decade, but their poor electronic conductivity limits their potential for applications.

Conversely, chiral inorganic materials such as tellurium have excellent electrical conductivity, but their potential for enabling the electrical control of spin <u>polarization</u> in devices remains unclear.

In this recently published work, the researchers demonstrated that the orientation of the electrically generated spin polarization is determined by the nanowire handedness and uniquely follows the current direction, while its magnitude can be manipulated by an electrostatic gate. This was



found by recording a large (up to 7%) and chirality-dependent unidirectional magnetoresistance.

Ikerbasque Profesor Luis Hueso, leader of the Nanodevices group, says, "It has been amazing to perfectly identify the nanowires formed by right- or left-handed tellurium chains thanks to the high-resolution STEM images, and to transfer individually selected nanowires onto Si/SiO<sub>2</sub> in order to carry out the transport experiments that made us discover that the current induced spin polarization is reversed for opposite nanowire handedness."

**More information:** Francesco Calavalle et al, Gate-tuneable and chirality-dependent charge-to-spin conversion in tellurium nanowires, *Nature Materials* (2022). DOI: 10.1038/s41563-022-01211-7

Provided by Elhuyar Fundazioa

Citation: Magnet-free chiral nanowires for spintronic devices (2022, March 21) retrieved 13 July 2024 from <a href="https://phys.org/news/2022-03-magnet-free-chiral-nanowires-spintronic-devices.html">https://phys.org/news/2022-03-magnet-free-chiral-nanowires-spintronic-devices.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.