


New research sheds light on nature of friction in multi-layered graphene

March 9 2022



New study provides insights into how surface structures influence nanoscale friction in this promising 2D material. Credit: Pusan National University

Graphene, which consists of a single layer of carbon atoms, is the poster child of carbon-based 2D nanomaterials. It has many attractive properties that could be exploited in next-generation electronics, optics, catalysis, biomedicine, and many other fields. Recently, many scientists



have focused on chemical vapor deposition (CVD) as a cost-efficient technique for producing larger graphene surfaces in lieu of the wellestablished method of mechanical exfoliation, which can only produce small graphene islands.

However, CVD graphene contains a fair number of <u>surface</u> structures and defects, including wrinkles, crystal grain boundaries, and surface contamination. Because graphene is so thin, even minor surface irregularities can greatly affect its properties, making its surfaceproperty relationships an important area of research. While studies on this topic have been conducted extensively for single-layer CVD graphene, few have focused on how surface structures affect the nanoscale friction characteristics of multi-layered CVD graphene.

Recently, a team of researchers from Pusan National University, Korea, led by Assistant Professor Songkil Kim tackled this knowledge gap. "Correlating surface characteristics with a material's properties is really important," explains Dr. Kim, "Imagine you are stacking papers, and there is a huge compressive strain over these papers. This could cause massive structural deformations within the stacked layers and the surface. Similarly, the structural changes that occur in multi-layered graphene can affect its surface properties, such as its friction, which is what we focused on." Their paper was made available online on January 24, 2022, and published in Volume 584 of *Applied Surface Science* on May 15, 2022.

The team first used the atom-sized tip of an atomic force microscope (AFM) to scratch the surface of CVD multi-layer graphene, cleaning off any polymeric residues. Then, they used AFM imaging, friction force microscopy, and Raman spectroscopy to identify and study various surface structures and how they affect nanoscale friction. Interestingly, they found that only the top-most layer of graphene was twisted with respect to the rest, which influenced the layer-dependent nanoscale



friction in a way that varied according to the applied load.

Overall, this study's findings could pave the way for interesting mechanical applications for CVD graphene. "Graphene and similar materials can be used as solid lubricants," comments Dr. Kim, "Whereas liquid lubricants like motor oils are not suitable for harsh environment such as outer space or the polar regions, the excellent robustness and frictional properties of graphene make it an attractive non-toxic alternative."

Interestingly, developing high-performance lubricants has environmental benefits since reducing friction is essential to prevent energy losses in mechanical systems. Another potential application for multi-layered CVD graphene is in micro/nano-devices, where a precise control of friction is necessary.

More information: Min Gi Choi et al, Correlating surface structures and nanoscale friction of CVD Multi-Layered graphene, *Applied Surface Science* (2022). DOI: 10.1016/j.apsusc.2022.152572

Provided by Pusan National University

Citation: New research sheds light on nature of friction in multi-layered graphene (2022, March 9) retrieved 11 July 2024 from https://phys.org/news/2022-03-nature-friction-multi-layered-graphene.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.