


# Double locked: Polymer hydrogels secure confidential information

March 1 2022



Credit: Wiley

The development of highly secure but simple and inexpensive encryption technology for the prevention of data leaks and forgeries is decidedly challenging. In the journal *Angewandte Chemie*, a research team has introduced a "double lock" based on thermoresponsive polymer hydrogels that encrypts information so that it can only be read at a specific window in temperature and time.

In addition to digital encryption methods, physical methods play an important role. Their decoding is typically based on [external stimuli](#) such as light or heat. Multiple stimuli offer more security, but make reading the data cumbersome and complex. "Addition of the time domain greatly raises the chance to achieve the unity of security and simpleness," according to the team led by Zhikun Zheng, Xudong Chen, and Wei Liu, at Sun Yat-sen University (Guangzhou, China). "We were inspired by the baking of bread: delicious bread can only be produced if the baking [temperature](#) is not too low or too high and the baking time is not too short or too long."

For their novel "double encryption system" they use thermoresponsive polymer hydrogels—cross-linked chain molecules with water incorporated into their "gaps". Above or below a specific temperature, the clear gels become opaque due to partial unmixing. There are LCST and UCST gels, which have lower or upper critical solution temperatures, respectively. The phase retention and critical temperature can be controlled via the content of  $-\text{CO}-\text{NH}_2$  groups in the main chain of the polymer hydrogels. The density of cross-linking determines the rate of the phase transition.

As an example of a locked label, the team used transparent acrylic plates with grooves in the pattern of a QR code. Three different gels were put in defined areas of the pattern; a UCST gel with a [phase change](#) around 40 °C, and two LCST gels with a phase change at 33 °C (one with a fast phase transition, and one with a slow [phase](#) change). Below 20 °C, the

UCST gel is opaque, but highly shrinking. The pattern is deformed and unreadable. Between 20 and 33 °C, it swells and the part of the code formed by this gel becomes readable. The second part of the code, formed by the "fast" LCST gel, still cannot be read. Only heating to over 33 °C makes both LCST gels opaque. Now the timing comes into play; only the pattern of the "fast" LCST gel has the correct second part of the information. At 37 °C, it becomes readable after about half a minute and the complete code can be read. However, a brief three minutes later, the "slow" LCST gel becomes opaque and adds false information that makes the codes unreadable. Above 40 °C, both LCST gels become opaque simultaneously. In addition, the UCST gel becomes transparent and unreadable.

This encryption can only be decoded if the specific temperature and time windows are known. The source of heat for decoding in this example could be an infrared lamp, a water bath, a hair dryer, or even the human body. If sealed to prevent the evaporation of water, these inexpensive labels are theoretically suitable for long-term use.

**More information:** Dongyang Lou et al, Double Lock Label Based on Thermosensitive Polymer Hydrogels for Information Camouflage and Multilevel Encryption, *Angewandte Chemie International Edition* (2022). DOI: [10.1002/anie.202117066](https://doi.org/10.1002/anie.202117066)

Provided by Wiley

Citation: Double locked: Polymer hydrogels secure confidential information (2022, March 1) retrieved 10 May 2024 from <https://phys.org/news/2022-03-polymer-hydrogels-confidential.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.