

Underwater noise causes hearing loss in turtles

March 2 2022



Credit: Unsplash/CC0 Public Domain

Underwater noise pollution is causing turtles to experience hearing loss that can last from minutes to days, say researchers who will present preliminary evidence of the effects of intense noise on turtles on 4

March at the 2022 Ocean Sciences Meeting, being held online from 24 Feb through 4 March.

Activities like shipping and construction create a lot of [noise](#) in both fresh and saltwater environments. Previous studies have focused on the effects of noise in a range of animals, from squids to fishes to whales. But less work has been done on reptiles, like [turtles](#), said Andria Salas, a researcher at Woods Hole Oceanographic Institution who will present the findings.

"Our preliminary findings are the first to support that these animals are vulnerable to underwater [hearing](#) loss after exposure to intense noise," Salas said. "We have assumed that turtles experience hearing loss when exposed to sufficiently intense sounds as observed in other animals, but there hasn't been any data collected specifically on turtles."

Salas and her colleagues were surprised by the relatively low level of noise that impacts the turtles' hearing, which is essential for communication and avoiding predators. The new findings could have implications for the survival of some threatened turtle species.

"If this occurs in nature, turtles would be less able to detect sounds in their environment on these timescales, including sounds used for communication or warning them of approaching predators," she said. "Over half of turtle and tortoise species are threatened, and [noise pollution](#) is an additional stressor to consider as we work towards protecting these animals."

Salas and her colleagues focused their experiments on two non-threatened species of freshwater turtles. They used a minimally invasive electrode, inserted just under the skin above a turtle's ear, to detect very small electrical voltages created by the turtles' auditory system when they hear sounds. Before exposing the turtles to loud (high amplitude) [white](#)

[noise](#), the researchers first determined the lower threshold of turtles' underwater hearing and which tones (frequencies) they heard best.

After exposing the turtles to noise and then removing them from the noise, the researchers kept measuring turtle hearing for about an hour to see how they recovered their underwater hearing in the short term, and then checked two days later to see if recovery was complete. While the turtles always recovered their hearing, hearing loss could last for about 20 minutes to over an hour. However, sometimes hearing had not recovered by the end of the testing hour, indicating they needed more time to fully recover from the noise exposure. The hearing of one turtle was affected for multiple days.

More information: Conference: osm2022.secure-platform.com/a

Provided by American Geophysical Union

Citation: Underwater noise causes hearing loss in turtles (2022, March 2) retrieved 2 May 2024 from <https://phys.org/news/2022-03-underwater-noise-loss-turtles.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--