

## Callery pears: An invader 'worse than murder hornets!'

April 21 2022, by Janet McConnaughey



Daniel Patterson, a sophomore at John Handley High School, walks home from school below blooming Bradford pear trees on Wednesday, March 30, 2016, in Winchester, Va. Their beauty and supposed sterility made Bradford pears a widely popular ornamental, but they wound up being pollinated by other ornamental varieties of Callery pears and turning highly invasive. Credit: Jeff Taylor/The Winchester Star via AP



Stinky but handsome and widely popular landscape trees have spawned aggressive invaders, creating thickets that overwhelm native plants and sport nasty four-inch spikes.

Bradford pears and 24 other ornamental trees were developed from Callery pears—a species brought to America a century ago to save ravaged pear orchards. Now, their invasive descendants have been reported in more than 30 states.

"Worse than murder hornets!" was the tongue-in-cheek title of a U.S. Department of Agriculture webinar in 2020 about Callery pears including the two dozen thornless ornamental varieties sold since the 1960s.

"They're a real menace," said Jerrod Carlisle, who discovered that four trees in his yard and one at a neighbor's had spawned thousands on 50 acres (20 hectares) he was turning from cropland to woods in Otwell, a community of about 400 in southern Indiana.

Indiana is among 12 midwestern and western states that have reported invasions, though most are in the South and Northeast.

Until 2015, Carlisle rented his field to a farmer. Then he enrolled it in a USDA crop reduction program that paid for planting 29,000 trees as wildlife habitat.

Carlisle realized the spiky flowering pears were a problem in 2019. When he cut or mowed them, new sprouts popped up. Trees sprayed with herbicide regrew leaves. Cutting off bark in a circle around the trunk kills most trees. Not these.





A callery pear is seen in Johns Creek, Ga. on Sunday, March 13, 2021. A stinky but handsome and widely popular landscape tree has become an aggressive invader, creating dense thickets that overwhelm native plants and bear four-inch spikes that can flatten tractor tires. Credit: AP Photo/Alex Sanz

He and his 17-year-old son have cut down an estimated 1,400 Callery pears, applying herbicide to the stumps. But he figures there are about 1,000 more to go.

Without regular maintenance, fields near seed-producing trees can be covered with sprouts within a couple of years, said James "J.T." Vogt, a scientist at the U.S. Forest Service's Southern Research Station in



Athens, Georgia.

"If you mow it, it sprouts and you get a thicket," he said. "If you burn it, it sprouts, too."

Seedlings only a few months old bear spurs that can punch through tractor tires, said David R. Coyle, an assistant professor in Clemson University's Department of Forestry and Environmental Conservation.

The stench wafting from the tree's billows of white blossoms has been compared to perfume gone wrong, rotting fish, chlorine, and a cheese sandwich left in a car for a week. The trunks branch off in deep Vs, so after 15 to 20 years they tend to break in storms.





This photo made available by the U.S. Department of Agriculture National Agricultural Library, Special Collections, shows USDA plant explorer Frank N.



Meyer on Mount Wutai, Shanxi, China, on Feb. 25, 1908. Meyer, who died in 1918, sent an estimated 2,500 species of plants, including his namesake Meyer lemon and Callery pears, to the United States. Credit: Courtesy of USDA via AP

But Frank N. Meyer, an agricultural explorer who brought 2,500 species of plants including his namesake Meyer lemon to the USDA in the early 1900s, called the Callery pear wonderful, noting that it survived drought and poor soil.

At the time, a bacterial disease called fire blight was devastating U.S. pear orchards, University of Cincinnati researchers Theresa M. Culley and Nicole A. Hardiman wrote in a 2007 BioScience article about the plant's U.S. history.

And, just as researchers had hoped, grafting edible pears onto Callery roots produced blight-resistant fruit trees.

In 1952, USDA workers noticed a spikeless mutant growing among Callery pears started from seed. By grafting its cuttings onto roots of other Callery pears, they cloned an ornamental line they named Bradford pears. That variety was commercially available by 1962, Culley and Hardiman wrote.







This photo made available by the U.S. Department of Agriculture National Agricultural Library, Special Collections, shows an unidentified man holding a spur of a large Callery pear tree next to a pine tree during an expedition to collect plants in China for the USDA, on March 31, 1917. The location, described as "near Nan chang yen, Hupeh, China," may have been in Nanzhang county in Hubei. "Very few trees find pine trees congenial mates, but this remarkable Calleryana pear occurs at times quite plentiful in open pine forests, on sterile mountain slopes," USDA plant explorer Frank N. Meyer wrote to his supervisor. Invasive varieties of Callery pear have been reported in at least 33 U.S. states. Credit: Courtesy of USDA via AP

Other seedlings grew into 24 more ornamental varieties. All are so pretty, hardy and insect-resistant that they were planted nationwide.

Bradford and other Callery ornamentals are the third most common trees of 132 species planted along New York City streets—more than 58,000 out of 650,000 as of 2015, the most recent count, said city parks department spokesman Dan Kastanis.

But the city is no longer planting them, Kastanis said. Neither is Newport News, Virginia, which got rid of its Bradford pears in 2005. South Carolina, Ohio and cities including South Bend, Indiana, have banned or are banning all commercial varieties of Callery pears.

Some states, including Missouri and Alabama, are asking homeowners and landowners to stop planting them or to cut existing ones down and apply herbicide to the stumps. Several, such as North Carolina, offer free native trees to landowners who provide photos proving they have cut down Callery pears on their property.





This photo made available by the U.S. Department of Agriculture National Agricultural Library, Special Collections, shows an unidentified man looking toward dwarf Callery pears growing in arid soil on a 2,000-foot-high mountaintop in China on March 31, 1917. The location, described as "near Nan chang yen, Hupeh, China," may have been in Nanzhang county, Hubei. Now, ornamental varieties have crossbred and become invasive in at least 33 U.S. states. Credit: Courtesy of USDA via AP

For the USDA, which ordered Meyer to send Callery pear seeds from China, the nasty spurs and marble-sized, inedible fruit were irrelevant. What mattered was that the plant was resistant to fire blight.

Genetically identical pears don't produce seed, so botanists figured the



cloned varieties were safe for ornamental use.

In 1971, the USDA even put out a brochure about their care, touting them as trees that bloom several times from spring through fall, thrive in many climates and soils, and don't attract plant pests.

Now, the USDA describes Callery pears as near ubiquitous and has been studying the best way to kill them.

Their adaptability is one reason they're so invasive. And their bugresistant waxy leaves mean insect-eating birds don't come near them.

"They're kind of a food desert for a bird," said Coyle, who leads Clemson's annual "Bradford pear bounty," providing native saplings to landowners who have felled their Callery ornamentals.





A Callery pear tree is seen in Auburn, Ga., on Sunday, March 13, 2021. A stinky but handsome and widely popular landscape tree has become an aggressive invader, creating dense thickets that overwhelm native plants and bear four-inch spikes that can flatten tractor tires. Credit: AP Photo/Alex Sanz

It turned out that, although trees of the same variety cannot produce seeds with each other, two different varieties within a pollinator's range can produce fruit that squishes on sidewalks and feeds starlings and robins, which spread the seeds widely.

In addition, the root stock can send up sprouts. If those aren't regularly pruned to prevent them from blossoming, they can cross-pollinate with



the grafted-on tree to produce fertile seed, noted University of Cincinnati's Culley.

"A wild population can potentially originate from a single landscaping tree that someone plants in their yard," she said in an email.

Carlisle, the Indiana landowner, thinks he's finally getting ahead of his invasion because native trees planted for reforestation, especially six oak species, are casting enough shade to inhibit Callery seedlings.





This photo provided by David R. Coyle, shows spiky invasive Callery pear saplings in a horse pasture near Woodruff, S.C., on Jan. 20, 2020. Those only a few months old can bear spurs that endanger tractor tires, says Coyle, an assistant professor in Clemson University's Department of Forestry and Environmental Conservation. Credit: David R. Coyle via AP





In this drone photo provided by Jerrod Carlisle, invasive Callery pear trees bloom white among 29,000 still leafless native trees on his land in Otwell, Ind., on March 26, 2020. In the area where there are only native trees, he has eliminated the invaders by cutting them one by one and applying herbicide foam around the edge of each stump top. He believes the invasive trees sprouted from seeds produced by five trees -- three ornamentals and two that were supposed to bear edible pears. Indiana is among more than 30 states where Callery pears have been reported as invasive. Credit: Jerrod Carlisle via AP





This photo provided by David R. Coyle shows invasive Callery pear trees blooming along Georgia Higway 441 near Nicholson, Ga., on Feb. 21, 2019. Georgia is among more than 30 states where the trees have been reported as invasive. Credit: David R. Coyle via AP





Snow covers blossoms on a Bradford Pear tree in Roanoke, Va., Wednesday, March 21, 2018. Their beauty and supposed sterility made Bradford pears a widely popular ornamental, but they wound up being pollinated by other ornamental varieties of Callery pears and turning highly invasive. Credit: Erica Yoon/The Roanoke Times via AP





A Bradford pear tree, damaged by ice following an overnight winter storm, is seen in Wichita, Kan., on April 10, 2013. Their beauty and supposed sterility made Bradford pears a widely popular ornamental, but the deep Vs formed by some branches turned out to make them prone to breaking after 20 to 30 years. They also wound up pollinated by other ornamental varieties of Callery pears and turning highly invasive. Credit: Mike Hutmacher/The Wichita Eagle via AP

"I truly believe I'm in eradication mode now," he said.

This article was originally published April 21, 2022. It has been corrected to state that fire blight is a bacterial disease, not a fungus.



## © 2022 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: Callery pears: An invader 'worse than murder hornets!' (2022, April 21) retrieved 28 June 2024 from <u>https://phys.org/news/2022-04-callery-pears-invader-worse-hornets.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.