


Olympic National Park's glaciers could be gone by 2070

April 19 2022



Credit: Unsplash/CC0 Public Domain

By 2070, the glaciers on the Olympic Peninsula in Washington State will have largely disappeared, according to a new study. The loss will alter the region's ecosystems and shrink a critical source of summer water for

local communities.

The Olympic Mountains, which range from sea level to just under 8,000 feet in elevation, are almost entirely within the bounds of Olympic National Park on the western peninsula of Washington state. The park hosts approximately 200 glaciers and in recent years typically receives well over 100 inches of precipitation, much of which falls as snow. But as the climate warms, these low-elevation mountains and their glaciers are threatened.

The new study was published in AGU's *Journal of Geophysical Research: Earth Surface*, which publishes research on the processes affecting the form and function of Earth's surface.

Since about 1900, the Olympic Peninsula has lost half of its glacier area and since 1980, 35 glaciers and 16 perennial snowfields have disappeared. Nearly all the glaciers on the peninsula are located within Olympic National Park and are otherwise on surrounding state lands. The few remaining glaciers will likely be shells of their former selves, said Andrew Fountain, professor of geology and geography at Portland State University who led the study.

"There's little we can do to prevent the disappearance of these glaciers," said Fountain. "We're on this global warming train right now. Even if we're super good citizens and stop adding carbon dioxide in the atmosphere immediately, it will still be 100 years or so before the climate responds."

Even though preventing climate change-driven glacier disappearances is not likely, ensuring things don't get worse is a critical goal, Fountain said.

"This is yet another tangible call for us to take climate change seriously

and take actions to minimize our climate impact," he added.

"The rapid, long-term loss of glacial mass that the authors have detected is a strong indication, uncontaminated by local human effects, of a warming global climate. This is a clear and compelling signal of changes that are rolling out across many North American landscapes," said Dan Cayan, a climate scientist at Scripps Institution of Oceanography who was not involved in the study. "It is regrettable that the Olympic glaciers are very likely to melt away as climate warming over the coming decades runs its course."

U.S. Geological Survey data show a similar decline of glacier ice in the North Cascades of Washington, farther inland in Glacier National Park, Montana and farther north in Alaska, according to USGS Research Physical Scientist Caitlyn Florentine. The new study highlights glaciers' vulnerability to [warmer temperatures](#) in both summer, which increase [glacial melt](#), and winter, which decrease glacial growth, said Florentine.

"This double whammy has downstream implications for glacier-adapted ecosystems in the U.S. Pacific Northwest," said Florentine.

Glacier disappearances will trigger a chain of impacts, beginning with diminishing alpine streams and species like bull trout that have adapted to those cold waters. Negative impacts can ripple throughout ecosystems and up food webs.

"Once you lose your seasonal snow, the only source of water in these alpine areas is glacier melt. And without the glaciers, you're not going to have that melt contributing to the stream flow, therefore impacting the ecology in alpine areas," Fountain said. "That's a big deal with disastrous fallout."

The Olympic glaciers are particularly vulnerable to [climate change](#)

because of their low elevation as compared to glaciers elsewhere at [higher elevations](#) where temperatures are significantly cooler such as the Cascade Mountains of Oregon and Washington.

"As the temperatures warm, not only will the glaciers melt more in summer, which you'd expect, but in the wintertime, it changes the phase of the precipitation from snow to rain," he said. "So the [glaciers](#) get less nourished in the winter, more melt in the summer, and then they just fall off the map."

More information: Andrew G. Fountain et al, Glaciers of the Olympic Mountains, Washington—The Past and Future 100 Years, *JGR: Earth Surface* (2022). doi.org/10.1029/2022JF006670

Provided by American Geophysical Union

Citation: Olympic National Park's glaciers could be gone by 2070 (2022, April 19) retrieved 20 July 2024 from <https://phys.org/news/2022-04-olympic-national-glaciers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.