

Assessing physical realism experimentally in a quantum-regulated device

April 18 2022, by Thamarasee Jeewandara

a Quantum controlled delayed choice scenario





Schematic circuits of quantum controlled interferometers. The blue boxes represent unitary operations which here play the role of superposition devices—the quantum network equivalent of a beam-splitter. Using an ancillary qubit in superposition (quantum control system), we implement the quantumly controlled unitary superposition device (represented by the red boxes). a Original version of the quantum delayed-choice experiment, where the second beam-splitter is prepared in a coherent superposition of being in and out of the interferometer (configurations closed and open, respectively). b Our proposal for a quantum controlled reality experiment. Here, the first beam-splitter is submitted to quantum control. Although the measurement outcomes yield the same visibility in both of these experimental arrangements, the realism aspects inside the interferometer are crucially different. Credit: *Communications Physics* (2022). DOI: 10.1038/s42005-022-00828-z

In a new report now published in *Nature Communications Physics*, Pedro R. Dieguez and an international team of scientists in quantum technologies, functional quantum systems and quantum physics, developed a new framework of operational criterion for physical reality. This attempt facilitated their understanding of a quantum system directly via the quantum state at each instance of time. During the work, the team established a link between the output visibility and elements of reality within an interferometer. The team provided an experimental proof-of-principle for a two-spin-½ system in an interferometric setup within a nuclear magnetic resonance platform. The outcomes validated Bohr's original formulation of the <u>complementarity principle</u>.

Physics according to Niels Bohr

Bohr's complementarity principle states that matter and radiation can be submitted to a unifying framework where either element can behave as a wave or a particle, based on the experimental setup. According to <u>Bohr's</u> <u>natural philosophy</u>, the nature of individuality of <u>quantum systems</u> is



discussed relative to the definite arrangement of whole experiments. Almost a decade ago, physicists designed a <u>quantum delayed choice</u> <u>experiment</u> (QDCE), with a beam splitter in spatial quantum superposition to render the interferometer to have a "closed + open" configuration, while the system represented a hybrid "wave + particle" state. Researchers had previously coupled a target system to a quantum regulator and <u>tested these ideas</u> to show how <u>photons</u> can exhibit wavelike or particle-like behaviors depending on the experimental technique used to measure them. Based on the capability to smoothly interpolate the statistics between a wave- and particle-like pattern, physicists suggested the manifestation of morphing behaviors in the same system; claiming a radical <u>revision of Bohr's complementarity principle</u>.





Wave and Particle Realism as a function of the Visibility. The green diamonds and dark red triangles are the measured RW (wave realism) and RP (particle realism), respectively, inside of the interferometer with the arrangement (quantum delayed-choice experiment). The blue squares and red circles are the measured RW and RP, respectively, inside of the interferometer (quantumcontrolled reality experiment). The symbols represent the experimental results and the dashed lines are numerical calculations that simulate the pulse sequences on the initial experimental state. The data is parametrized by the visibility at the end of the interferometer. The error bars were estimated via Monte Carlo propagation. The error bars for data represented as green diamonds are smaller than the symbols. Credit: *Communications Physics* (2022). DOI: 10.1038/s42005-022-00828-z

The strategy

At first, Dieguez et al adopted an operational quantifier of realism depending on the quantum state to allow meaningful which-path statements. They also showed that there were no connections between visibility at the output with wave and particle elements, relative the adopted criterion of realism. The scientists proposed a setup to establish a link between the visibility and wave elements of reality within the interferometer and showed the relevance of quantum correlations to wave-particle duality, followed by nuclear magnetic resonance for experimental scrutiny to argue how the outcomes reiterated Bohr's original views.

Contextual realism in the quantum delayed-choice experiment (QDCE)

Dieguez et al re-assessed the QDCE (quantum delayed-choice



experiment) via the elements of reality in the present experimental system. To accomplish this, they added a <u>qubit</u> as a particle-like state after passing the first superposition device or beam-splitter, and the phase shifter in the experimental setup, to implement a relative phase between the paths traveled by the <u>qubit</u>. The team then activated the final superposition device to note the transformation of the state into a wave-like state. Based on the statistics at the output of the circuit, they inferred the path that the qubit traveled in the interferometer. To further understand the process, they computed the realism in the circuit and proposed a framework to discuss the elements of reality for the waveparticle behavior in a quantum-controlled interference device. The results indicated how so-called particle-like states corresponded to a wave reality. As a result, they noted how the qubit always behaved as a wave inside the interferometer in an experimental approach, to demonstrate how the <u>physical reality</u> can be determined by the quantum state at every instant of time.



Probability pattern at the end of the interferometer (p0) as function of the interference parameter (α) and the phase shifter (θ). (a) For quantum controlled delayed choice scenario. (b) For quantum controlled realism scenario. (c) Visibility (V) of the interferometer in the quantum controlled realism scenario. The symbols represent the experimental results and the (solid and dashed) lines numerical simulations. The error bars were estimated via Monte Carlo propagation. In panels a, b, the error bar is smaller than the symbols. Credit: *Communications Physics* (2022). DOI: 10.1038/s42005-022-00828-z



Quantum-controlled reality experiment (QCRE)

The team next proposed an experiment to solve existing issues of the preceding experimental setup and to effectively superpose wave and particle elements of reality. They computed the states of the whole system, when qubits traveled inside the interferometer right after the phase shift. The interference device put the qubit in a superposition of paths to imply a wave reality. When Dieguez et al deactivated the controlled interference device in the new QCRE setup, the qubit kept traveling its original path as a particle to show a key difference to the original QDCE setup. In contrast to the QDCE, the physicists noted a strict equivalence between the output statistics and the wave-like behavior inside the <u>interferometer</u>. The outcomes corroborated Bohr's original formulation of the complementarity principle.



Pulse sequence for the initial state preparation. The blue (orange) boxes represent x (y) local rotations by the angles indicated inside. These rotations are produced by a transverse rf-field resonant with either 1H or 13C nuclei, with phase, amplitude, and time duration properly adjusted. The black dashed boxes



with connections represent free time evolution under the scalar coupling of both spins. The boxes with a gray gradient represent magnetic field gradients, with longitudinal orientations aligned with the spectrometer cylindrical symmetry axis. All the control parameters are optimized to build an initial pseudo-pure state equivalent to $\rho=|00\rangle\langle00|$ with high fidelity (≥ 0.99). Credit: *Communications Physics* (2022). DOI: 10.1038/s42005-022-00828-z

Proof-of-principle

The scientists next implemented these ideas in a proof-of-principle experiment using a liquid-state <u>nuclear magnetic resonance</u> (NMR) setup with two spin ½ qubits encoded in a sample of ¹³⁻C labeled chloroform diluted in <u>acetone-d6</u>. They conducted the experiments in a <u>Varian 500</u> <u>MHz spectrometer</u> and used the ¹³C nuclear spin to investigate the realism, and wave and particle features of ¹H nuclear spin, which encompassed the interferometric paths. Of the four nuclei isotopes ¹H, ¹³C, ³⁵Cl, and ³⁷Cl available, the team only regulated ¹H, and ¹³C nuclei. The team performed cell spin ½ quantum controlled interferometric protocols using combinations of transverse-radiofrequency pulses on resonance with each of the nuclei, to observe the interferometric pattern.





Pulse sequences for the two interferometric scenarios. (a) Sequence for the original version of quantum delayed-choice experiment (QDCE). For the sake of optimization, the first superposition operation and the phase shifter were implemented by two rotations (rotations θ and $-\pi 2$). The quantum-controlled interference was performed using local operations on the system (1H) and on the controller (13C), as well as two free evolution under the scalar coupling. (b) Pulse sequence for the quantum-controlled reality experiment (QCRE), where the quantum-controlled interference appears as the first operation followed by the phase shifter and the interference operation. The most relevant contributions to the total time duration of each experiment are the free evolution, so both pulse sequences last approximately the same time (\approx 14 ms). Credit: *Communications Physics* (2022). DOI: 10.1038/s42005-022-00828-z



Outlook

In this way, Pedro R. Dieguez and colleagues employed wave and particle terms to discuss the behavior of a quantum system traversing a double-path setup to produce some signals and statistics in the output. In the quantum delayed-choice experiment (QDCE), the scientists noted how the output visibility did not tell a specific story about qubit behavior inside the circuit. The team then introduced a quantum-controlled reality experiment (QCRE)—an arrangement where the original formation of Bohr's complementarity principle could be afforded, where unlike with QDCE, using the QCRE, Dieguez et al regulated the wave particle elements of reality, to show the possibility of wave and particle superposition in the setup to manifest "morphing realities." The research highlighted the role of the complementarity principle to morph reality states in a quantum controlled system to provide new insights to the nature of quantum causality, reference frames, and realistic aspects of wave and particle properties linked to quantum systems.

More information: Pedro R. Dieguez et al, Experimental assessment of physical realism in a quantum-controlled device, *Communications Physics* (2022). DOI: 10.1038/s42005-022-00828-z

Gerardo Adesso et al, Wave–particle superposition, *Nature Photonics* (2012). DOI: 10.1038/nphoton.2012.214

© 2022 Science X Network

Citation: Assessing physical realism experimentally in a quantum-regulated device (2022, April 18) retrieved 23 June 2024 from <u>https://phys.org/news/2022-04-physical-realism-experimentally-quantum-regulated-device.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.