

New research could provide earlier warning of tsunamis

May 12 2022



Credit: CC0 Public Domain

A new method of detecting mega earthquakes, which picks up on the gravity waves they generate by using deep-learning models created at Los Alamos National Laboratory, can estimate earthquake magnitude in

real time and provide earlier warning of tsunamis.

"Our [model](#) unlocks real-time estimation of earthquake magnitude, using data routinely treated as noise, and can immediately be transformative for tsunami early warning," said Bertrand Rouet-Leduc, a scientist in Los Alamos' Geophysics group.

Rapid and reliable magnitude estimation for [large earthquakes](#) is crucial to mitigate the risk associated with strong shaking and tsunamis. Standard early warning systems based on seismic waves cannot rapidly estimate the size of large earthquakes; the systems rely on estimating earthquake magnitude directly from the shaking it produces. These systems cannot distinguish between magnitude 8 and magnitude 9 earthquakes, even though the latter is 30 times more energetic and destructive.

Important distinctions possible

In new research, published May 11 in *Nature*, a research team found that a long-theorized gravity wave associated with very large earthquakes can also be used for earthquake early warning. Unlike seismic-based early warning, gravity-based early warning does not saturate with magnitude, meaning that gravity-based earthquake early warning can immediately distinguish between magnitude 8 and 9 earthquakes.

Other current approaches rely on GPS to estimate earthquake magnitude. While this approach provides better estimations than seismic-based earthquake early warning, it is also subject to large uncertainties and latency.

PEGS approach more accurate for larger earthquakes

The recently discovered, speed-of-light Prompt Elasto-Gravity Signals approach raised hopes to overcome these limitations, but until now, had never been tested for earthquake [early warning](#). As opposed to current methods, the PEGS approach to detection gets more accurate for larger earthquakes.

The research team showed that PEGS can be used in real time to track earthquake growth and magnitude immediately after it reaches a certain size. The team developed a deep-learning model that leverages the information carried by PEGS, which is recorded by regional broadband seismometers in Japan.

After training the deep-learning model on a database of synthetic waveforms augmented with empirical noise measured on the [seismic network](#), the team was able to show the first example of instantaneous tracking of an [earthquake](#) source on real data.

This model, combined with real-time data, can alert communities much earlier if a subduction mega [earthquake](#) is large enough to create a tsunami that will breach the seawalls in place and endanger the coastal populations.

More information: Andrea Licciardi et al, Instantaneous tracking of earthquake growth with elastogravity signals, *Nature* (2022). [DOI: 10.1038/s41586-022-04672-7](#)

Provided by Los Alamos National Laboratory

Citation: New research could provide earlier warning of tsunamis (2022, May 12) retrieved 28 June 2024 from <https://phys.org/news/2022-05-earlier-tsunamis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.